

INDIVIDUAL FOOTWEAR | 2026



KLAVENESS



FIA - FOOTWEAR WITH INDIVIDUAL ADJUSTMENTS
OAS - ORTHOPAEDIC ON ADJUSTED STANDARD LAST
OIL - ORTHOPAEDIC ON INDIVIDUAL LAST
CMF - CUSTOM-MADE FOOT ORTHOTICS
CMS - CUSTOM-MADE SANDALS



SYMBOLS

 Last Läst Lesti	 Upper Overlær Material Päälinen	 Velcro® strap w/ return Borrelås m/retur Vändsölja Tarranauha lenkin kautta	 Zipper Glidelås Blixtlås Vetoketju
 Last size range Størrelse Storlek Koot	 Stretch material Stretch materiale Stretch material Strech materiaali	 Double Velcro strap w/ return Dobbel borrelås m/retur Dubbla vändsöljor Kaksi tarranauhaa lenkin kautta	 Double zipper Dobbel glidelås Dubbla blixtlås Kaksi vetoketjua
 Multiple widths Flere vidder Olika vidder Eri leveyksiä	 Lining För Foder Vuori	 Patented adjustment system for Velcro w/ return Patentert reguleringsfunksjon for borrelås m/ retur Patenterad regleringsfunktion för vändsölja Patentoitu säädettävä tarranauha lenkin kautta	 Dial fastener Vriknapp lukkesystem Vridknappsspänne Dial fastening
 Weight Vekt Vikt Paino	 Sole Såle Sula Pohja	 Cut-to-length straps Avklipp bare borrelåser Avklippbara kardborreband Lyhennettävät tarranauhat	 BOA® Fit System BOA snøresystem BOA stängningsmekanism BOA kiristysmekanismi
 Quarter girth Skaft omkrets Skaft omkrets Varren ympärysmitta	 Track thickness Såletykkelse Slitsuls tjocklek Ulkipohjan paksuus	 Removable 3 mm extra fitting insole Justerbar 3 mm innleggssåle Justerbar genom 3 mm distans Irrotettava 3 mm extra pohjallinen	 Bellows tongue Belg pløse Bälgløs Umpi-itti
 Heel height Hælhøyde Klackhöjd Kannan korkeus	 Vibram® sole Vibram såle Vibram sula Vibram pohja	 Water-resistant construction Vannavstøtende Vattenavvisande konstruktion Vettähyökyvä rakenne	 Sole suitable for ice studs Såle tilpasset bruk med ispigger Sula lämplig för isdubbar Nastoille soveltuva pohja
 Quarter girth Skaftthøyde Skaftthöjd Varren korkeus	The quarter height is measured from the inside of the boot, without a footbed, on the middle lateral side of the shaft.		

The displayed information refers to sample sizes **38 EU** or **4,5 UK (women)**, **42 EU (men/unisex)** and **31 EU (children)**.

LASTS COMPARISON CHART

Find the complete charts at klaveness.no/downloads

Last Läst Lesti										
Width Vidde Vidd Leveys	Children Size 31 EU	Hiker	J	210	218	289	207	78	75	25
		Hiker Orthotic	L	220	234	310	207	78	75	29
		Nemo TN2 (Narrow)	D	191	187	269	205	70	67	27
		Nemo TN4 (Standard)	F	197	195	277	205	73	70	27
		Nemo TN6 (Wide)	H	205	210	282	205	76	73	27
		Nemo TN8 (Orthotic)	K	223	233	304	205	80	77	32
		Tracer	J	210	218	289	206	78	75	25
Ball girth Ball omkrets Ball omkrets Päkiän ympärys	Women Size 38 EU / 5 UK	Tracer Orthotic	L	220	234	310	206	78	75	29
		Lisa Extra - Narrow	G	231	248	341	253	86	84	26
		Lisa Extra	K	244	258	353	253	92	90	26
		Lisa Extra - Wide	N	259	268	366	253	99	96	26
		Ortho - Narrow	H	235	237	330	253	85	84	24
		Ortho - Slim Heel/Reduced Instep	L	249	243	329	253	93	91	24
		Ortho	L	249	252	347	253	92	91	24
Instep Vrist Spann Rinta	Men Size 42 EU	Ortho - Wide	O	263	260	354	253	100	100	24
		Jo	N	276	278	373	280	102	97	33
		Thom	M	272	266	368	291	106	102	28
		Thor - Narrow	K	260	248	336	280	99	92	27
		Thor - Slim Heel/Reduced Instep	N	273	261	347	280	106	99	27
		Thor	N	273	270	365	280	106	99	27
		Thor - Wide	P	287	283	377	280	114	106	30
Short heel Pådrag Pådrag Pootra	Unisex Size 42 EU	Footform	K	259	268	360	275	101	98	28
		Free	K	263	255	357	282	99	86	30
		Free Wide	N	277	265	364	282	106	93	30
		Näbling	S	298	306	403	282	105	99	45
		Naturform	L	266	284	367	274	103	102	35
		New Rehab	N	277	277	374	275	101	96	36
Insole length Bindsåle lengde Bindsule längd Sisäpohjan pituus	Unisex Size 42 EU									
Ball width Ballbredde Ball vidd Päkiän leveys	Unisex Size 42 EU									
Insole ball width Ballbredde Ball vidd Päkiän leveys	Unisex Size 42 EU									
Toe thickness Tåhøyde Tåhöjd Varvaskorkeus	Unisex Size 42 EU									

CONTENTS

Custom-Made Foot Orthotics	5
Custom-Made Sandals	13
Individual Footwear	17

KIDS COLLECTION	WOMEN COLLECTION	UNISEX COLLECTION	MEN COLLECTION	TREATMENT	MATERIALS
Nemo	Lisa Extra	Free	Jo	Nåbling	Soles
Sandals 22-24	Sandals 40, 41	Shoes 62-67	Shoes 74	Sandals 90	Standard Soles 96-106
Shoes 25	Shoes 41-43	Boots 68-71	Boots 75	Shoes 90	Built and Milled Soles 107-110
Boots 26-29	Boots 44, 45, 47, 48			Boots 91	
	High Boots 46				
Tracer	Ortho		Thor	Footform	Uppers
Sandals 30, 31	Sandals 49		Sandals 76	Shoes 91	Linings 111
	Shoes 50-55		Shoes 77-83		Recommended Colours 112, 113
Hiker	Boots 56-59		Boots 84-87	New Rehab	
Boots 32, 34-37	High Boots 59, 60			Sandals 92	
Shoes 33, 35			Thom	Shoes 93	UTILITIES
			Shoes 88	Boots 93	OAS & OIL Tips 114
				OAS / OIL Exclusives 94	Fitting Stock 115
					Size Charts 116
					FIA
					Discontinued Styles 117
					Older Styles 117

INDEX

Custom-Made Foot Orthotics

Art.	Page	Art.	Page	Art.	Page
3D 0020	8	3D 0044	9	3D 0058	9
3D 0040	10	3D 0050	11	3D 0059	9
3D 0041	11	3D 0053	11	3D 0070	10
3D 0042	10	3D 0056	11		
3D 0043	10	3D 0057	9		

Custom-Made Sandals

Art.	Page
FM 1600 NEW	15
FM 1650 NEW	15
FM 1700 NEW	15

Individual Footwear

Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page
FM 0555	56	FM 0986	42	FM 1062	71	FM 1330	81	FM 1428	88	FM 9378	23
FM 0700	93	FM 0987	40	FM 1063	71	FM 1330-1	81	FM 1429	68	FM 9383	27
FM 0701	93	FM 0988	50	FM 1064	70	FM 1369	85	FM 1430	77	FM 9385	37
FM 0702	92	FM 0988-1	50	FM 1066	45	FM 1374	87	FM 1431	77	FM 9391	35
FM 0704	93	FM 0989	43	FM 1068	65	FM 1380	80	FM 1432	77	FM 9393	28
FM 0709	92	FM 0989-1	43	FM 1069	67	FM 1381	83	FM 1434	84	FM 9396	35
FM 0716	92	FM 0990	41	FM 1071	67	FM 1382	83	FM 1497	74	FM 9397	26
FM 0718 NEW	94	FM 0991	42	FM 1072	47	FM 1384	86	FM 1497-1	74	FM 9398	25
FM 0719 NEW	94	FM 0994	43	FM 1073	66	FM 1388	79	FM 9321	31	FM 14662	59
FM 0870	90	FM 1002	48	FM 1074	60	FM 1388-1	79	FM 9323	30	FM 16125	41
FM 0870-1	90	FM 1008	50	FM 1075	69	FM 1391	91	FM 9333	37	FM 25121 NEW	63
FM 0871	90	FM 1011	79	FM 1076	57	FM 1392	74	FM 9338	32	FM 25122 NEW	64
FM 0872	91	FM 1012	54	FM 1079	65	FM 1393	82	FM 9338-1	32		
FM 0872-1	91	FM 1013	80	FM 1081	63	FM 1394	75	FM 9357	36		
FM 0912	51	FM 1028	58	FM 1082	70	FM 1395	84	FM 9358	33		
FM 0914	58	FM 1034	52	FM 1083	62	FM 1404	78	FM 9358-1	33		
FM 0919	53	FM 1036	54	FM 1087	47	FM 1405	78	FM 9359	34		
FM 0919-1	53	FM 1037	46	FM 1088	68	FM 1407	85	FM 9369	22		
FM 0929	49	FM 1037-1	46	FM 1098	51	FM 1408	87	FM 9370	27		
FM 0939	55	FM 1039	48	FM 1099	51	FM 1420	86	FM 9373	25		
FM 0941	57	FM 1045	49	FM 1101 NEW	62	FM 1422	88	FM 9374	29		
FM 0947	59	FM 1046	40	FM 1309	82	FM 1423	76	FM 9376	26		
FM 0949	44	FM 1058	55	FM 1323	76	FM 1427	75	FM 9377	24		



KLAVENESS

KLAVENESS YOUR TOTAL FOOTWEAR SOLUTION

Klaveness provides footwear solutions for a wide range of needs. With our multi-level customisation approach, we adapt to each individual. Discover the category that fits you best.

MEDICAL STOCK SHOES (MSS)

Supportive Footwear

Supportive footwear crafted from high-quality materials, featuring extra depth for custom foot orthotics and easy adjustment.

Rehabilitation Footwear

Designed for prevention, rehabilitation, and treatment, helping to regain mobility safely and comfortably.

CUSTOM-MADE FOOT ORTHOTICS (CMF)

Designed to correct or accommodate specific needs, providing precise support.

CUSTOM-MADE SANDALS (CMS)

The next level in foot orthotic solutions, sandals with fitted, removable, custom-made foot orthotics.

INDIVIDUAL FOOTWEAR

Footwear with Individual Adjustments (FIA)

Standard adaptations on standard lasts - practical solutions for common foot problems.

Orthopaedic on Adjusted Standard Last (OAS)

Advanced adaptations on adjusted standard lasts - ideal for more demanding foot conditions.

Orthopaedic on Individual Last (OIL)

Limitless adaptations on custom-made lasts - designed for the most complex and severe foot problems.

CUSTOM-MADE FOOT ORTHOTICS COLLECTION

Klaveness offers a concept for **Custom-Made Foot Orthotics (CMF)**, with various options to help you get the best product for your patient.

You can ask Klaveness to design and produce the orthotics or, if you prefer, take part in the design process and send your requirements. Either way, with all our tools at your disposal, you will receive a product where minor or no adjustments will be needed to get a perfect fit, be it to the foot or your patient's shoes.

DISCOVER MORE AT
KLAVENESS.NO

OR ASK YOUR LOCAL
CUSTOMER SERVICE

post@klaveness.no
info@klaveness.se
asiakaspalvelu@klaveness.fi


STAY
UPDATED
WITH A
QUICK
SCAN!

+ DETAILS ON PAGE 18




STANDARD FOOT ORTHOTICS

COMPONENTS



CUSTOMISABLE FEATURES



TOP COVER OR PADDING MATERIAL OPTIONS

LEATHER 3A 0021

For top cover

Good absorption properties.
Available in black or beige.



COVERLINING 3A 0022

For top cover

Soft surface for increased comfort.
Available in black or beige.



PORON 3A 0023

For top cover or padding

Shock absorption and fungal resistance.
Available with 1.5 mm or 3 mm, in black or beige.



SYNTHETIC LEATHER 3A 0028

For top cover

Washable and easy to slip on.



THIN EVA 3A 0029

For top cover

Smooth finishing, similar to the traditional Vacuum Formed Foot Orthotics.
Available in black.



ON STEAM 3A 0033

For top cover

High vapour permeability/coefficient. Very short absorption time and high abrasion resistance.



EVA FOAM 3 MM 3A 0056

For top cover or padding

Thermoformable and durable, also suitable for padding and for CMF with a high heel cup.
Available in black or orange.



LUNAIRMED 3A 0057

For top cover or padding

Shock absorption and soft surface. Thermoformable. Not advisable to be combined with high heel cup and 35 Shore.
Available with 2 or 3 mm, in black or beige.



SOFT MICROTEX PERFORATED 3A 0058

For top cover

Extra soft, perforated, breathable and easy to clean. Good option when sweat or liquid absorption on the surface is undesired. Very good breathability when combined with Milled EVA Diabetic Foot Orthotic.



MICROTEX 3A 0059

For top cover

Breathable and easy to clean. Good option when sweat or liquid absorption on the surface is undesired. Optimal result when combined with Milled EVA Diabetic Foot Orthotic.



SHOCKICELL RED MEMORY 3A 0060

For top cover or padding

Breathable and slow recovery material. Optimal result when combined with Milled EVA Diabetic Foot Orthotic.



DESIGN CUSTOMISATIONS



	3D 0020	3D 0044	3D 0057	3D 0058	3D 0059	3D 0043	3D 0070	3D 0040	3D 0042	3D 0050	3D 0053	3D 0056	3D 0041
Length	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Outline	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓
Cutting patterns	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	*	✓
Extended forefoot	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓
Ball/Heel thickness	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✓	✗
Metatarsal pad/bar	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Toe crest	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗
Toe filler	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗
Thin-out front	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗
Wedge	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✓	✓
Arch support	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Sink	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗
Heel cushioning (internal/external)	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗
Extended cushioning	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗
Heel cup height	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✓	✗
Heel lock	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Narrow heel	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓

(*) uvex 1, uvex1 Sport, uvex 2, uvex 2 Trend, uvex G2-M

MILLED EVA (STANDARD FOOT ORTHOTIC)
3D 0020

A highly versatile and customisable foot orthotic. Allows integration of various material densities, top covers, cushioning placements, and supportive elements for enhanced functionality.



BASE MATERIAL

EVA in black (35, 45, 45 ESD or 55 Shore) or beige (35, 45 or 55 Shore). The choice of material will depend on the level of support, rigidity, and durability required. The EVA base material is 40 mm thick.

PADDING

A layer of Poron, EVA, Shockicell Red Memory or Lunairmed can be added to provide additional cushioning and comfort.

TOP COVER

This is an optional layer of material applied to the surface that improves the appearance and protects from wear and tear. Depending on foot shape, activity level, and lifestyle, the options include leather, coverlining, EVA, Poron, or synthetic materials.


MILLED EVA MULTISHORE FOOT ORTHOTIC 3D 0044

Three-density EVA construction with black 50/55 Shore on the ground layer, beige 30/35 Shore on the mid-layer, and red 45/50 Shore on the cup and arch support.




MILLED EVA MULTISHORE FOOT ORTHOTIC 3D 0057

Dual-density EVA construction with salmon 15 Shore on the ground layer and beige 35 Shore on the cup and arch support.




MILLED EVA MULTISHORE FOOT ORTHOTIC 3D 0058

Dual-density EVA construction with blue 30 Shore on the ground layer and orange 60 Shore on the cup and arch support.



MILLED EVA MULTISHORE FOOT ORTHOTIC 3D 0059

Dual-density EVA construction with blue 30 Shore on the ground layer and grey 40 Shore on the cup and arch support.



MILLED EVA DIABETIC FOOT ORTHOTIC

3D 0043

Blue, soft open-cell EVA, 25 Shore.

Made from soft, open-cell EVA (25 Shore) for compression resistance, breathability, and moisture-wicking.

Combine with a padding layer and top cover for optimal results.



3D PRINTED FOOT ORTHOTIC

3D 0070

Antibacterial TPU 3D-printed orthotic with an On-Steam top cover and LunairMed padding for optimal comfort, hygiene and breathability.



VACUUM FORMED COMPOSITE FOOT ORTHOTIC

3D 0040

Thin, lightweight, and with a slim profile, perfect for tight-fitting, low-volume shoes.



VACUUM FORMED FELT FOOT ORTHOTIC

3D 0042

Thermo-felt orthotics designed for warmth, comfort, and breathability, reinforced at the arch and heel for added support.



VACUUM FORMED EVA FOOT ORTHOTIC

3D 0050

Compression-resistant 16 mm EVA (45 Shore standard) ensures durability under high support demands.

Features a smooth surface, pre-roughened outline, and extra material for workshop customisation.

Designed with a "Foot focus" outline.



VACUUM FORMED CORK FOOT ORTHOTIC

3D 0053

Combines compression-resistant EVA with cork for superior durability under high support needs. Made from 16 mm EVA (60 Shore standard), with a smooth surface, pre-roughened outline, and extra material for customisation.

Designed with a "Foot focus" outline.



MILLED UVEX FOOT ORTHOTIC

3D 0056

Made with uvex materials and finishing processes. This way, they maintain safety and meet the regulations to hold the EN ISO 20345:2011 certification for uvex safety footwear.

Base material is removed from the toe area by default.



MILLED PU POSITIVE

3D 0041

High-density PU positive, ideal for vacuum-forming foot orthotics in workshops.



3D SCANNING

We provide tailored 3D scanning setups that work seamlessly with files from our customers' existing scanners, our scanners, or with a scanning app installed on an iPad or iPhone. Today's scanners use widely supported formats, and we have expertise with the most common ones.


Whether you're scanning foam boxes or feet directly to your laptop for modelling or uploading to our web platform, we'll find the perfect solution for your needs.



KLAVENESS FLATBED SCANNER

The Klaveness flatbed scanner provides accurate foot measurements with surface colour mapping. This portable and user-friendly solution is ideal for convenient and precise foot scanning.

You can also scan foamboxes with the same device. If you change settings from foambox to foot scan, we have a simple plugin for this purpose.



If you want to **test, rent or buy one**, please **contact us**.

CUSTOM-MADE SANDALS COLLECTION

Klaveness presents a sandal concept combining fixed uppers and soles with fully personalised comfort in between.

Developed as the next level in foot orthotic solutions, this collection builds on years of experience in footbed customisation and fit.

Each pair is built around a custom-made foot orthotic crafted from 3D scans of the foot, delivering individualised comfort and support.

- Fixed upper and sole.
- Removable footbed, custom-made from 3D scans.
- Perfect fit, matches the foot's shape.
- Replaceable footbed for easy maintenance and longer-lasting, sustainable use.


DISCOVER MORE AT
KLAVENESS.NO

OR ASK YOUR LOCAL
CUSTOMER SERVICE

post@klaveness.no
info@klaveness.se
asiakaspalvelu@klaveness.fi

STAY
UPDATED
WITH A
QUICK
SCAN!

+ DETAILS ON PAGE 18



The custom foot orthotics are the core of this product. Each pair is handcrafted from 3D scans of the patient's feet.

Designed to slot into the sandal as easily as a standard footbed, these orthotics offer comfort with the added benefit of being shaped from the patient's footprint. A proper custom fit!

CMS FOOT ORTHOTIC CUSTOMISATIONS

Top cover	✓
Base EVA Shore	✓
Length	✗
Outline	✗
Cutting patterns	✗
Extended forefoot	✗
Ball/Heel thickness	✗
Metatarsal pad/bar	✓
Toe crest	✓
Toe filler	✗
Thin-out front	✗
Wedge	✓
Arch support	✓
Sink	✓
Heel cushioning (internal/external)	✓
Extended cushioning	✓
Heel cup height	✗
Heel lock	✓
Narrow heel	✗

SANDALS WITH FITTED, REMOVABLE, CUSTOM-MADE FOOT ORTHOTICS COLLECTION OVERVIEW

Includes clogs, two-strap, and three-strap sandals with standardised uppers and soles.

The foot orthotics are fully customisable, crafted from 3D scans of the patient's feet. Submitting accurate foot scans is mandatory.



PROCESS

1. **Choose your style** – Pure, Classic Two-Strap, or Classic Three-Strap.
2. **Select upper colour** (*Pure only*) – Beige or Black.
3. **Choose foot orthotic top cover** – Coverlining (*default*).
4. **Define base EVA density** – 45 (*default*), 35 or 55 Shore.
5. **Add padding material** (*optional*).
6. **Scan the feet** – Anatomic landmarks must be clearly visible.
7. **Send the scan file** – Forms the basis of the custom-made footbed.
8. **Craft and assemble** – Sandal and foot orthotic are integrated.
9. **Enjoy!**



Production time: approximately 7 + 0* days.
(*+0 indicates one additional working day in our factory in Portugal)

CLASSIC TWO-STRAP SANDAL

FM 1600

Two adjustable straps with metal buckles.
Wide toe box. Zero drop.

Size range: 35-50
Footbed: Fully custom-made
Footbed cover: Coverlining (default)
Footbed base: Black EVA 45 Shore (default)
Welt: 3D printed



Upper: Taupe Nappa* (3 mm)
Track: Lightweight EVA (5 mm)

NEW

CM SANDALS

CLASSIC THREE-STRAP SANDAL

FM 1650

Three adjustable straps with metal buckles.
Wide toe box. Zero drop.

Size range: 35-50
Footbed: Fully custom-made
Footbed cover: Coverlining (default)
Footbed base: Black EVA 45 Shore (default)
Welt: 3D printed



Upper: Taupe Nappa* (3 mm)
Track: Lightweight EVA (5 mm)



The inconsistencies of this taupe nappa are part of its charm! Due to its nature, you can expect variations in surface texture, grain and colour, making each pair unique.

NEW

PURE CLOG

FM 1700

Adjustable strap with metal buckle.
Wide toe box. Zero drop.

Size range: 35-50
Footbed: Fully custom-made
Footbed cover: Coverlining (default)
Footbed base: Black EVA 45 Shore (default)



Upper: Beige Split Velour (2.8 mm)
Sole: Lightweight EVA (8 mm)

Upper: Black Split Velour (2.8 mm)
Sole: Lightweight EVA (8 mm)

NEW



INDIVIDUAL FOOTWEAR COLLECTION

FOOTWEAR ADAPTATIONS

Klaveness Individual Footwear options enable you to modify shoes to meet your patient's unique needs. A full range of adaptations is available for all styles and lasts, categorised into three levels: **FIA**, **OAS**, and **OIL**.

FIA

FOOTWEAR WITH INDIVIDUAL ADJUSTMENTS

FIA footwear is made on a standard last and allows for modifications such as extra depth or width. However, adjustments to the bottom shape of the last or pattern/upper alterations are not possible.

The styles shown in this catalogue can be customised in specific areas to achieve an optimal fit. These are offered as "Recommended colour combinations" on the Online Configurator for ease of selection. Additional upper material options are also available online.

Modifications include:

- Extra volume, heel stiffener, rocker sole, raise, wedge, or flare.
- Changes to standard lining material.
- Sole options: standard PU, EVA, or rubber soles; built EVA soles (with attached welt); or milled EVA soles (allowing for external raises).

OAS

ORTHOPAEDIC ON ADJUSTED STANDARD LAST

OAS footwear includes modifications to the last, such as individual bottom shapes, custom soles, and pattern or upper adjustments.

Features include:

- Style selection compatible with any available lasts.
- Adjustments to upper patterns (e.g., moving the instep or opening).
- Custom fastening solutions. Padding for vamps, quarters, or full uppers.
- Options for standard or low openings.
- Back height or top line adjustments.
- Adjustments to lace gaps, Velcro straps, or seam positions for improved comfort and fit.

OIL*

ORTHOPAEDIC ON INDIVIDUAL LAST

OIL footwear involves comprehensive last modifications, requiring bespoke soling, individual bottom shapes, and entirely new patterns.

Explore the styles suggested in this catalogue or contact us for bespoke solutions tailored to your patient's specific needs.

Customisation options include:

- Styles tailored to meet unique patient requirements.
- Full design flexibility, made possible by in-house manufacturing.

(*) Available in some markets only

STAY
UPDATED
WITH A
QUICK SCAN!



DISCOVER NEW PRODUCTS & UPDATES ALL YEAR LONG!

Scan the QR code regularly to **discover product launches, updates, and improvements** throughout the year.


Check back often to stay informed on the latest additions and innovations as they happen.

Just a quick scan keeps you in the loop!

UPPER COLOUR/MATERIALS

HOW DO WE REPRESENT THEM?

Each upper colour/material is represented by a three-digit code (e.g. Blue Waxed Nubuck is 862).



The codification order is from toe-to-heel.



All **colour/material** options are available at klaveness.no, in the **Materials Guide** section.

An upper can have a maximum of four colours/materials. We display each code separated by a hyphen (-).



251-307-397-208
Black Coated Split, Camel Pig Velour,
Camel Waxed Nubuck, Black Split Velour

HOW TO SELECT THE UPPER COLOUR/MATERIAL FOR YOUR PRODUCT

Your role is vital in providing clear and accurate customisation instructions to help us create your product exactly as you envision it. Here's how you can select and customise the upper colour and material for your product:

THREE WAYS TO CUSTOMISE

VERY EASY OPTION: KEEP COLOURS, KEEP PLACEMENT



DIFFICULTY

FOLLOW ONE OF THE RECOMMENDED COLOUR COMBINATIONS FOR YOUR CHOSEN ARTICLE

Steps:

1. Select an article from the catalogue.
2. Choose one of the recommended combinations displayed below the article.
3. Use the code provided with the combination when placing your order. That's it!
No further action required.

EASY OPTION: CHANGE COLOURS, KEEP PLACEMENT



DIFFICULTY

CHOOSE NEW COLOURS FOR YOUR ARTICLE WHILE KEEPING THEIR ORIGINAL POSITIONS

Steps:

1. Select your article and decide on a new colour combination.
2. Keep the colours in the same positions as suggested for that article.
3. Insert the new codes into your order.

NOT-SO-EASY OPTION: CHANGE COLOURS, CHANGE PLACEMENT



DIFFICULTY

FULLY CUSTOMISE YOUR ARTICLE BY SELECTING DIFFERENT COLOURS AND CHANGING THEIR POSITIONS

Steps:


1. Visit idb.klaveness.no/drawings, and download the drawing for your chosen article.
2. Clearly mark your desired colour placement on the drawing and include the new codes.
3. Attach the completed drawing to your order.



Once you've finalised your customisation, we'll produce your article precisely as specified.

LET'S USE FM 9359 AS AN EXAMPLE

In this catalogue, these are the combinations we present for FM 9359:



IF YOU CHOOSE A 4-COLOUR COMBINATION, YOU CAN:

KEEP COLOURS,
KEEP PLACEMENT



1st 2nd 3rd 4th
251 307 397 208

VERY EASY OPTION

CHANGE COLOURS,
KEEP PLACEMENT



1st 2nd 3rd 4th
251 946 926 786

EASY OPTION

CHANGE COLOURS,
CHANGE PLACEMENT




NOT-SO-EASY OPTION

DIAL FASTENERS

WE WILL DELIVER THE BOA FIT SYSTEM ONLY IF THE ORIGINAL STYLE INCLUDES BOA (meaning it was approved by BOA)


AND
IS ORDERED AS **FIA**



WE WILL ALWAYS APPLY AN ALTERNATIVE DIAL FASTENER TO ANY STYLE ORDERED AS

OAS or OIL

(to enable higher customisation)



VELCRO STRAPS

"Stay-in" straps are designed with a wider end to prevent slipping through the roller.

For OAS/OIL orders, upon request, we can change the strap design.



WATER-RESISTANT CONSTRUCTION + W-TEX

Footwear with this symbol is designed to include a **water-resistant** membrane

FOR HIGHER LEVELS OF WATER-RESISTANCE



The W-tex membrane is a specialised feature designed to enhance water-resistance. While it does not guarantee complete waterproofing, it significantly improves the ability to resist water penetration.

Klaveness employs this technology in selected certified waterproof stock styles, which can be customised for better water-resistance through additional features like:

Bellows tongue - Prevent water from seeping through the laces;

Coated split mudguards - Protect from splashes and mud;

Hooks - Secure the fit to minimise water entry;

W-tex lining - Add an extra layer of water-resistance.

This combination of materials and construction techniques prepares the footwear to withstand harsh conditions, such as Nordic winters.

Customers looking to maximise water-resistance should opt for the **"W-tex (water-resistant)"** option when ordering

STRETCH MATERIAL

Footwear with this symbol is partially made with **stretch material**.



Stretch ensures comfort, increases flexibility and adaptability to the foot.

KIDS COLLECTION

All **colour/material** options are available at **klaveness.no**, in the **Materials Guide** section.

This catalogue displays the **FIA standard configuration** for each style.

Upper and lining material samples are available upon request.

All styles in this catalogue are available as **FIA, OAS and OIL**.

DISCOVER MORE AT
KLAVENESS.NO

OR ASK YOUR LOCAL
CUSTOMER SERVICE

post@klaveness.no
info@klaveness.se
asiakaspalvelu@klaveness.fi

STAY
UPDATED
WITH A
QUICK
SCAN!

+ DETAILS ON PAGE 18



NEMO TN2, TN4, TN6, TN8

FM 9369

	20-44
	Leather L110, L111
	10.5 cm
	16 cm



572-916-900
Light Brown Nubuck, Pink Nubuck, Pink Textile
SOLE S001B EVA, Rubber



Removable
padded tongue
included



202-208-257
Black Nappa, Black Split Velour, Black Textile
SOLE S517 EVA, Rubber



566-257
Yellow Nubuck, Black Textile
SOLE S517 EVA, Rubber



862
Blue Waxed Nubuck
SOLE S511 EVA, Rubber



202
Black Nappa
SOLE S517 EVA, Rubber

MATCHES
FITTING STOCK
ME PRV20 TN4

Choose a Built or Milled Sole for all sizes and widths of the Nemo last.	SEE PAGE 107	MORE ABOUT: Fitting Stock footwear (MOQ: 5 pairs/article).	ON PAGE 115
---	------------------------	--	-----------------------

NEMO TN2, TN4, TN6, TN8

FM 9378

		
	20-44	
	Leather L110, L111	
	11 cm	 20 cm



837-446-572
Blue Pig Velour, Beige Nubuck, Light Brown Nubuck
SOLE S001B EVA, Rubber



518-144-981
Beige Split Velour, Gold Metallic Nappa,
Orange Chevreau
SOLE S511 EVA, Rubber



980-786-700
Pink Printed Nubuck, Grey Nubuck, Grey Textile
SOLE S511 EVA, Rubber



916-900
Pink Nubuck, Pink Textile
SOLE S511 EVA, Rubber

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE
PAGE
107

NEMO TN2, TN4, TN6, TN8

FM 9377



 20-44

 Leather L110, L111



446-786-572
Beige Nubuck, Grey Nubuck, Light Brown Nubuck
SOLE S524 TR



208-786
Black Split Velour, Grey Nubuck
SOLE S002C EVA, Rubber



In FIA, this style is produced with a reflective detail that cannot be changed.



273-786
Black Nappa, Grey Nubuck
SOLE S002C EVA, Rubber



596-102
Mustard Nubuck, White Nappa
SOLE S001B EVA, Rubber



821-800
Blue Nappa, Blue Textile
SOLE S511 EVA, Rubber



786-981
Grey Nubuck, Orange Chevreau
SOLE S517 EVA, Rubber



862
Blue Waxed Nubuck
SOLE S511 EVA, Rubber



916-900
Pink Nubuck, Pink Textile
SOLE S511 EVA, Rubber

Choose a **Built** or **Milled Sole** for all sizes and widths of the **Nemo** last.

SEE PAGE
107

NEMO TN2, TN4, TN6, TN8

FM 9398



20-44

Leather L211, L312, L411



654-102
Olive Waxed Nubuck, White Nappa
SOLE | S524 TR



862-707
Blue Waxed Nubuck, Light Grey Pig Velour
SOLE | S522 TR

FM 9373



20-44

Leather L211, L312, L411



102-141-116
White Nappa, Silver Metallic Nappa,
Off-white Chevreau Velour
SOLE | S553 EVA, Rubber



707-938
Light Grey Pig Velour, Red Split Velour
SOLE | S551 EVA, Rubber



862-981
Blue Waxed Nubuck, Orange Chevreau
SOLE | S553 EVA, Rubber



886-121
Blue Nubuck, White Nappa
SOLE | S553 EVA, Rubber



916-121
Pink Nubuck, White Nappa
SOLE | S553 EVA, Rubber



916-902
Pink Nubuck, Fuxia Nappa
SOLE | S553 EVA, Rubber



CHOOSE ANY STYLE
ON ANY LAST

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE
PAGE
107

NEMO TN2, TN4, TN6, TN8

FM 9376

	20-44
	Leather L110, L111
	10 cm
	20 cm



654-658
Olive Waxed Nubuck, Olive Split Velour
SOLE | S553 EVA, Rubber



243
Black Nappa
SOLE | S552 EVA, Rubber



916
Pink Nubuck
SOLE | SE74 EVA, Vibram Newflex Rubber



898
Dark Blue Split Velour
SOLE | S553 EVA, Rubber

MATCHES
FITTING STOCK
ME PRV26 TN2
ME PRV25 TN4
ME PRV24 TN8

FM 9397

	20-44
	Textile L204
	8 cm
	19 cm



916-902
Pink Nubuck, Fuxia Nappa
SOLE | S001B EVA, Rubber

654-658-257
Olive Waxed Nubuck, Olive Split Velour, Black Textile
SOLE | S522 TR

Choose a Built or Milled Sole for all sizes and widths of the Nemo last.		MORE ABOUT: Fitting Stock footwear (MOQ: 5 pairs/article).	ON PAGE 115
SEE PAGE 107			

NEMO TN2, TN4, TN6, TN8

FM 9370



20-44

Textile L714



8 cm



15 cm



654-658

Olive Waxed Nubuck, Olive Split Velour

SOLE S522 TR



251-212-257

Black Coated Split, Black Waxed Nubuck,
Black Textile

SOLE S552 EVA, Rubber



251-862-865-877

Black Coated Split, Blue Waxed Nubuck,
Dark Blue Patent Chevreau, Blue Textile

SOLE S551 EVA, Rubber

Coated split
reinforcement

251-946-900

Black Coated Split, Burgundy Nubuck,
Pink Textile

SOLE S553 EVA, Rubber

FM 9383



20-44

Leather L110, L111



11 cm



17 cm

Decorative
perforation

Wide opening



541-572

Dune Nappa, Light Brown Nubuck

SOLE S551 EVA, Rubber

821

Blue Nappa

SOLE S551 EVA, Rubber

CHOOSE ANY STYLE
ON ANY LAST

NEMO TN2, TN4, TN6, TN8

FM 9393



20-44

Textile L204

12 cm

22 cm



393-397

Camel Nappa, Camel Waxed Nubuck

SOLE S522 TR



Wide opening

251-208-279

Black Coated Split, Black Split Velour, Black Textile

SOLE S551 EVA, Rubber



251-886-878-877

Black Coated Split, Blue Nubuck, Blue Split Velour, Blue Textile

SOLE SE93 EVA, Rubber



Coated split reinforcement



In FIA, the textile material used in the bellows tongue and the reflective edge cannot be changed.

Choose a **Built** or **Milled Sole** for all sizes and widths of the **Nemo** last.

SEE
PAGE
107

This style is produced **without** bellows tongue when ordered in **Nemo TN8** (Orthotic).



NEMO TN2, TN4, TN6, TN8

FM 9374

		
	20-44	
	Warm L217, L317	
	15.5 cm	20 cm



260-279-862
Black Coated Split, Black Textile,
Blue Waxed Nubuck
SOLE S552 EVA, Rubber



In FIA, the **textile material** used in the bellows tongue and the **reflective strap endings** cannot be changed.

KIDS



Coated split reinforcement

260-279-208
Black Coated Split, Black Textile, Black Split Velour
SOLE SE86 EVA, Vibram Newflex Rubber



260-279-208
Black Coated Split, Black Textile, Black Split Velour
SOLE SE93 EVA, Rubber



333
Cognac Waxed Leather
SOLE S002C EVA, Rubber

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE PAGE
107

This style is produced **without bellows tongue** when ordered in Nemo TN8 (Orthotic).



TRACER

FM 9323

	20-44	
	Leather L211, L312, L411	
	10 cm	14 cm



121-968-904
White Nappa, Lilac Split Velour, Lilac Textile
SOLE S547 PU



212-786-700
Black Waxed Nubuck, Grey Nubuck, Grey Textile
SOLE S542 PU

MATCHES
FITTING STOCK
ME PRV23



541-786-244
Dune Nappa, Grey Nubuck, Black Textile
SOLE S542 PU



946-700
Burgundy Nubuck, Grey Textile
SOLE S542 PU



862-786-877
Blue Waxed Nubuck, Grey Nubuck, Blue Textile
SOLE S547 PU



980-700
Pink Printed Nubuck, Grey Textile
SOLE S547 PU

MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

ON
PAGE
115

Choose a Built or Milled Sole for all
sizes of the Tracer last.

SEE
PAGE
107

TRACER

FM 9321



20-44
Leather L211, L312, L411



141
Silver Metallic Nappa
SOLE S547 PU



KIDS

In FIA, this style is produced with a reflective detail that cannot be changed.



212-786
Black Waxed Nubuck, Grey Nubuck
SOLE S542 PU



566-596
Yellow Nubuck, Mustard Nubuck
SOLE S542 PU



862-981
Blue Waxed Nubuck, Orange Chevreau
SOLE S547 PU



902-900
Fuxia Nappa, Pink Textile
SOLE S547 PU



916-786
Pink Nubuck, Grey Nubuck
SOLE S547 PU



926-700
Red Nubuck, Grey Textile
SOLE SE72 EVA, Vibram Newflex Rubber

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE PAGE 107

HIKER

SAME STYLE,
AVAILABLE WITH LACES
OR VELCRO STRAPS



FM 9338-1

	20-44		
	Leather L211, L312, L411		
	10 cm		15 cm



121
White Nappa
SOLE S562 TR



121-926
White Nappa, Red Nubuck
SOLE S562 TR

Two **Standard Sole** solutions
to complete a 20-42 size range.



251-566
Black Coated Split, Yellow Nubuck
SOLE S562 TR

For sizes 20-39

FM 9338

	20-44		
	Leather L211, L312, L411		
	10 cm		15 cm



862
Blue Waxed Nubuck
SOLE S560 TR



121
White Nappa
SOLE SE92 EVA, Rubber



202-870
Black Nappa, Blue Textile
SOLE S560 TR



251-227
Black Coated Split, Black Textile
SOLE S562 TR



393
Camel Nappa
SOLE S563 TR

For sizes 40-42

Choose a **Built** or **Milled Sole** for all
sizes of the **Hiker** last.

SEE
PAGE
107

HIKER

SAME STYLE,
AVAILABLE WITH VELCRO STRAPS
OR LACES



FM 9358-1



20-44

Leather L211, L312, L411



121-916
White Nappa, Pink Nubuck

SOLE S571 EVA, Rubber



246-121
Black Waxed Nubuck, White Nappa

SOLE S572 EVA, Rubber

FM 9358



20-44

Leather L211, L312, L411



821-100-878
Blue Nappa, White Textile, Blue Split Velour

SOLE S001B EVA, Rubber



916-900-902
Pink Nubuck, Pink Textile, Fuxia Nappa

SOLE SE92 EVA, Rubber



541-938
Dune Nappa, Red Split Velour

SOLE SE91 EVA, Rubber



862-950-981
Blue Waxed Nubuck, Orange Textile,
Orange Chevreau

SOLE S562 TR



968-904
Lilac Split Velour, Lilac Textile

SOLE S571 EVA, Rubber



632-133-341
Green Nappa, White Embossed Chevreau,
Light Brown Chevreau

SOLE S571 EVA, Rubber



243-121
Black Nappa, White Nappa

SOLE S571 EVA, Rubber

MATCHES
FITTING STOCK
ME PRV19

Decorative perforation



946-102-572
Burgundy Nubuck, White Nappa, Light Brown Nubuck

SOLE S571 EVA, Rubber

MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

ON
PAGE
115

Built and Milled Soles (SE) are highly
versatile, fitting all lasts, widths, sizes,
and adjustments.

SEE
PAGE
107

HIKER

FM 9359

		
	20-44	
	Textile L204	
	10.5 cm	



251-654-658
Black Coated Split, Olive Waxed Nubuck,
Olive Split Velour
SOLE S532 Vibram Rubber



Coated split
reinforcement



243-246
Black Nappa, Black Waxed Nubuck
SOLE S562 TR



251-307-397-208
Black Coated Split, Camel Pig Velour,
Camel Waxed Nubuck, Black Split Velour
SOLE SE51 EVA, Rubber



541-572
Dune Nappa, Light Brown Nubuck
SOLE S562 TR



926-737
Red Nubuck, Grey Pig Velour
SOLE S572 EVA, Rubber



862-786-877
Blue Waxed Nubuck, Grey Nubuck, Blue Textile
SOLE S560 TR



946-737
Burgundy Nubuck, Grey Pig Velour
SOLE S571 EVA, Rubber

Choose a **Built** or **Milled Sole** for all sizes of the **Hiker** last.

SEE
PAGE
107

Built and **Milled Soles** (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE
PAGE
107

HIKER

FM 9391



20-44

Textile L244

12 cm

24 cm



260-392
Black Coated Split, Dark Brown Waxed Nubuck
SOLE S532 Vibram Rubber



654
Olive Waxed Nubuck
SOLE SE72 EVA, Vibram Newflex Rubber



In FIA, the textile material used in the bellows tongue cannot be changed.

KIDS

FM 9396



20-44

Textile L204



446-518-946-927
Beige Nubuck, Beige Split Velour,
Burgundy Nubuck, Burgundy Pig Velour
SOLE SE91 EVA, Rubber



260-892-121
Black Coated Split, Dark Blue Waxed Nubuck,
White Nappa
SOLE S572 EVA, Rubber



260-972-121
Black Coated Split, Burgundy Waxed Nubuck,
White Nappa
SOLE S571 EVA, Rubber



862-707
Blue Waxed Nubuck, Light Grey Pig Velour
SOLE S560 TR

This style is produced **without**
bellows tongue when ordered
in Hiker Orthotic.



Designed to include water-resistant
membrane. See page 20.



HIKER

FM 9357





20-44



Warm L217, L317



14 cm



18 cm

260-397-307
Black Coated Split, Camel Waxed Nubuck,
Camel Pig Velour
SOLE S002C EVA, Rubber

916
Pink Nubuck
SOLE S532 Vibram Rubber

In FIA, the textile material used in the bellows tongue and the reflective strap endings cannot be changed.

260-279-946
Black Coated Split, Black Textile, Burgundy Nubuck
SOLE SE72 EVA, Vibram Newflex Rubber

260-279-208
Black Coated Split, Black Textile,
Black Split Velour
SOLE S572 EVA, Rubber

260-279-208
Black Coated Split, Black Textile,
Black Split Velour
SOLE S532 Vibram Rubber

This style is produced **without** bellows tongue when ordered in Hiker Orthotic.



Designed to include water-resistant membrane. See **page 20**.



Choose a **Built** or **Milled Sole** for all sizes of the Hiker last.




SEE PAGE
107

36 INDIVIDUAL FOOTWEAR

DISCOVER MORE AT KLAVENESS.NO

HIKER

FM 9333



In FIA, the **textile materials** used in the **bellows tongue** and the **reflective edge** are fixed and **cannot be changed**.



260-279-208-737
Black Coated Split, Black Textile,
Black Split Velour, Grey Pig Velour
SOLE S532 Vibram Rubber



596-541
Mustard Nubuck, Dune Nappa
SOLE SE11 EVA, Rubber



927-972-911-754
Burgundy Pig Velour, Burgundy Waxed Nubuck,
Burgundy Chevreau, Dark Grey Waxed Nubuck
SOLE S532 Vibram Rubber

FM 9385

**BOA Fit System is
exclusive for FIA.**



For OAS and
OIL solution,
see page 20.



596
Mustard Nubuck
SOLE S572 EVA, Rubber



654-658
Olive Waxed Nubuck, Olive Split Velour
SOLE S571 EVA, Rubber

941-927-972
Burgundy Nappa, Burgundy Pig Velour,
Burgundy Waxed Nubuck
SOLE S532 Vibram Rubber

This style is produced **without
bellows tongue** when ordered
in **Hiker Orthotic**.



Designed to include **water-resistant
membrane**. See **page 20**.





WOMEN COLLECTION

All **colour/material** options are available at **klaveness.no**, in the **Materials Guide** section.

This catalogue displays the **FIA standard configuration** for each style.

Upper and lining material samples are available upon request.

All styles in this catalogue are available as **FIA, OAS and OIL**.

DISCOVER MORE AT
KLAVENESS.NO

OR ASK YOUR LOCAL
CUSTOMER SERVICE

post@klaveness.no
info@klaveness.se
asiakaspalvelu@klaveness.fi

STAY
UPDATED
WITH A
QUICK
SCAN!

+ DETAILS ON PAGE 18



LISA EXTRA

FM 0987



1-10



Textile L254, L415

The lining **L254** or **L415** used in the design of this sandal provides **smooth, soft edges**.

Changing the **standard lining** will result in the loss of these **soft edges**.

Soft edges



962
Red Nappa

SOLE SE45 EVA, Vibram Rubber



212
Black Waxed Nubuck

SOLE S411 PU, Rubber



494
Bronze Metallic Nappa

SOLE S413 PU, Rubber



572
Light Brown Nubuck

SOLE S411 PU, Rubber

FM 1046



1-10



Leather L211, L312, L411

Decorative perforation



541
Dune Nappa

SOLE S413 PU, Rubber



214-299
Black Nappa, Grey Textile

SOLE S412 PU, Rubber



596
Mustard Nubuck

SOLE S413 PU, Rubber



707-299
Light Grey Pig Velour, Grey Textile

SOLE S413 PU, Rubber

Changing **standard lining materials** may compromise **related features**.



LISA EXTRA

FM 0990



1-10

Leather L211, L312, L411



333
Cognac Waxed Leather

SOLE | SE62 EVA, Rubber



Heel
frame

If you select an **EVA sole**, we recommend **Milled EVA**, which creates a **frame** that helps keeping foot orthotics in place.



201
Black Nappa

SOLE | S412 PU, Rubber



494
Bronze Metallic Nappa

SOLE | S413 PU, Rubber



911
Burgundy Chevreau

SOLE | S411 PU, Rubber

FM 16125



1-10

Leather L211, L312, L411



832-888
Dark Blue Nappa, Dark Blue Printed Chevreau

SOLE | S411 PU, Rubber



116
Off-white Chevreau Velour

SOLE | S413 PU, Rubber



212
Black Waxed Nubuck

SOLE | S412 PU, Rubber



572
Light Brown Nubuck

SOLE | SE84 EVA, Rubber

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE
PAGE
107

LISA EXTRA

FM 0991



1-10

Leather L211, L312, L411



Stretch vamp



212-226
Black Waxed Nubuck, Black Stretch Nubuck
SOLE S402 TR



892-846
Dark Blue Waxed Nubuck, Dark Blue Stretch Nubuck
SOLE S411 PU, Rubber



407-466
Light Beige Pig Velour, Light Beige Stretch Nubuck
SOLE S413 PU, Rubber

FM 0986



1-10

Leather L211, L312, L411



202
Black Nappa
SOLE S413 PU, Rubber



209
Black Croco
SOLE S413 PU, Rubber



892
Dark Blue Waxed Nubuck
SOLE S411 PU, Rubber



972
Burgundy Waxed Nubuck
SOLE S402 TR



CHOOSE ANY STYLE
ON ANY LAST

LISA EXTRA

SAME STYLE,
AVAILABLE WITH LACES
OR VELCRO STRAP



FM 0989

1-10
Leather L211, L312, L411



122-133-116
Off-white Nappa, White Embossed Chevreau,
Off-white Chevreau Velour
SOLE S401 TR



212-226
Black Waxed Nubuck, Black Stretch Nubuck
SOLE S413 PU, Rubber



892-846
Dark Blue Waxed Nubuck, Dark Blue Stretch Nubuck
SOLE S412 PU, Rubber

FM 0989-1

1-10
Leather L211, L312, L411



962-987
Red Nappa, Red Pig Velour
SOLE S413 PU, Rubber



202-218
Black Nappa, Black Stretch Lycra and Neoprene
SOLE S412 PU, Rubber



442-466
Beige Nappa, Light Beige Stretch Nubuck
SOLE S401 TR

FM 0994

1-10
Leather L211, L312, L411



202
Black Nappa
SOLE S402 TR

MATCHES
FITTING STOCK
ME PRV11



MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

ON
PAGE
115

Built and Milled Soles (SE) are highly
versatile, fitting all lasts, widths, sizes,
and adjustments.

SEE
PAGE
107

LISA EXTRA

FM 0949

	1-10
	Warm L217, L317
	18 cm
	25 cm



892
Dark Blue Waxed Nubuck
SOLE | SE9 EVA, Vibram Gumlite



212-200
Waxed Nubuck, Brown Real Fur
SOLE | S412 PU, Rubber

333-200
Cognac Waxed Leather, Brown Real Fur
SOLE | S402 TR

392-200
Dark Brown Waxed Nubuck, Brown Real Fur
SOLE | S402 TR



754-200
Dark Grey Waxed Nubuck, Brown Real Fur
SOLE | S437 EVA, Rubber

836-870
Dark Blue Nubuck, Blue Textile
SOLE | S437 EVA, Rubber

OIL TIP PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE PAGE 107

LISA EXTRA

FM 1066



	1-10
	Textile L224, L724
	9.5 cm
	24 cm



203-244-212-707
Black Nappa, Black Textile,
Black Waxed Nubuck, Light Grey Pig Velour
SOLE | S437 EVA, Rubber



596-393
Mustard Nubuck, Camel Nappa
SOLE | S412 PU, Rubber



754-102
Dark Grey Waxed Nubuck, White Nappa
SOLE | S437 EVA, Rubber

This dial fastener supports higher levels of customisation. More about dial fasteners on page 20.

WOMEN

LISA EXTRA

SAME STYLE,
AVAILABLE WITH DOUBLE
OR SINGLE ZIPPERS

The **standard lining** used in these styles
includes fur on the collar and tongue.

If your choice is not **"Warm"** lining,
the fur will not be applied.

FM 1037

	
	1-10
	Warm L217, L317
	21 cm
	24 cm



754
Dark Grey Waxed Nubuck
SOLE | S412 PU, Rubber

FM 1037-1

	
	1-10
	Warm L217, L317
	21 cm
	24 cm



208-288
Black Split Velour, Black Printed Chevreau
SOLE | SE25 EVA, Neolite



383
Dark Brown Waxed Leather
SOLE | S402 TR



283
Black Waxed Leather
SOLE | S402 TR



972
Burgundy Waxed Nubuck
SOLE | S412 PU, Rubber

Changing **standard lining** materials
may compromise **related features**.



LISA EXTRA

SAME STYLE,
AVAILABLE WITH DOUBLE ZIPPERS
OR VELCRO STRAPS



FM 1087

	1-10
	Textile L244
	13.5 cm
	22 cm

FM 1072


	1-10
	Textile L244
	13.5 cm
	22 cm



393-307
Camel Nappa, Camel Pig Velour
SOLE SE50 EVA, Rubber



212-208
Black Waxed Nubuck, Black Split Velour
SOLE S412 PU, Rubber



Derby design
for a wider foot entry



212-208
Black Waxed Nubuck, Black Split Velour
SOLE S412 PU, Rubber



941-927-946
Burgundy Nappa, Burgundy Pig Velour,
Burgundy Nubuck
SOLE SE14 EVA, Vibram Rubber



941-927-946
Burgundy Nappa, Burgundy Pig Velour,
Burgundy Nubuck
SOLE SE14 EVA, Vibram Rubber

OIL TIP CHOOSE ANY STYLE
ON ANY LAST

Built and Milled Soles (SE) are highly
versatile, fitting all lasts, widths, sizes,
and adjustments.

SEE
PAGE
107

LISA EXTRA

FM 1039



1-10



Warm L217, L317



12 cm



25 cm



754
Dark Grey Waxed Nubuck
SOLE | SE25 EVA, Neolite



Medial and lateral zippers
for wide opening
and easy donning



212
Black Waxed Nubuck
SOLE | S412 PU, Rubber

214
Black Nappa
SOLE | S402 TR

333
Cognac Waxed Leather
SOLE | S412 PU, Rubber

FM 1002



1-10




Textile L244



12 cm



25 cm



Oxford design
is more suitable
for bellows tongue



862-878-877
Blue Waxed Nubuck, Blue Split Velour, Blue Textile
SOLE | S411 PU, Rubber

212-208
Black Waxed Nubuck, Black Split Velour
SOLE | S412 PU, Rubber

Designed to include water-resistant membrane. See page 20.



ORTHO

FM 1045



1-10

Leather L211, L312, L411

962-987
Red Nappa, Red Pig Velour

SOLE S131 EVA

Wide opening and
fully-adjustable instep202-208
Black Nappa, Black Split Velour

SOLE S170 PU

707
Light Grey Pig Velour

SOLE S172 PU

832-898
Dark Blue Nappa, Dark Blue Split Velour

SOLE S172 PU

FM 0929



1-10

Leather L211, L312, L411

874
Blue Nappa

SOLE SE49 EVA, Rubber

"Stay-in"
strap design116
Off-white Chevreau Velour

SOLE S172 PU

202
Black Nappa

SOLE S170 PU

911
Burgundy Chevreau

SOLE S131 EVA

REPLACE THE "STAY-IN" STRAPS
WITH STANDARD VELCRO STRAPS

MORE ABOUT:

Velcro straps and
"Stay-in" strap design.ON
PAGE
20

ORTHO

SAME STYLE,
AVAILABLE WITH LACES,
VELCRO STRAPS OR DIAL FASTENER



FM 0988

1-10
Textile L224, L724



202-208
Black Nappa, Black Split Velour

SOLE S242 EVA, Rubber

FM 0988-1



1-10
Textile L224, L724



892-208-102
Dark Blue Waxed Nubuck, Black Split Velour,
White Nappa

SOLE S141 EVA, Rubber

FM 1008

BOA Fit System
is exclusive for FIA.



1-10
Textile L224, L724

SAME AS ME 1023



212-224-208-102
Black Waxed Nubuck, Black Textile,
Black Split Velour, White Nappa

SOLE S212 EVA, Rubber



392-302-572
Dark Brown Waxed Nubuck, Brown Waxed Nubuck,
Light Brown Nubuck

SOLE S111 TR



212-208-102
Black Waxed Nubuck, Black Split Velour,
White Nappa

SOLE S212 EVA, Rubber



442-446
Beige Nappa, Beige Nubuck

SOLE S141 EVA, Rubber



911-972-102
Burgundy Chevreau, Burgundy Waxed Nubuck,
White Nappa

SOLE S141 EVA, Rubber



987-927-102
Red Pig Velour, Burgundy Pig Velour,
White Nappa

SOLE S240 EVA, Rubber



754-738-722
Dark Grey Waxed Nubuck,
Grey Split Velour, Grey Chevreau

SOLE S242 EVA, Rubber

ORTHO

SAME STYLE,
AVAILABLE WITH LACES,
OR DIAL FASTENER



FM 1098

1-10
Leather L211, L312, L411



381
Dark Brown Nappa
SOLE S170 PU



898-888
Dark Blue Split Velour, Dark Blue Printed Chevreau
SOLE SE21 EVA, Rubber

FM 1099

BOA
1-10
Leather L211, L312, L411

BOA Fit System
is exclusive for FIA.

For OAS and
OIL solution,
see page 20.



202-205
Black Nappa, Black Patent Leather
SOLE S170 PU



862-878
Blue Waxed Nubuck, Blue Split Velour
SOLE SE21 EVA, Rubber

FM 0912

1-10
Leather L211, L312, L411



202
Black Nappa
SOLE S170 PU

MATCHES
FITTING STOCK
ME PRV04



MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

ON
PAGE
115

Built and Milled Soles (SE) are highly
versatile, fitting all lasts, widths, sizes,
and adjustments.

SEE
PAGE
107

ORTHO

FM 1034

2X

1-10

Leather L211, L312, L411



911-927
Burgundy Chevreau, Burgundy Pig Velour
SOLE S242 EVA, Rubber

If you choose a **textile** for this style, it will be applied on the vamp and top edge.



121-100
White Nappa, White Textile
SOLE S141 EVA, Rubber

202-288-208
Black Nappa, Black Printed Chevreau, Black Split Velour
SOLE S242 EVA, Rubber

541
Dune Nappa
SOLE S240 EVA, Rubber

Padded vamp

Padded tongue

Padded top edge

Padded quarter

OAS OIL TIP

CUSTOMISE PADDING
(AVAILABLE UPON REQUEST)

In FIA, the standard padding cannot be changed.

ORTHO

SAME STYLE,
AVAILABLE WITH LACES
OR VELCRO STRAPS



FM 0919

1-10
Leather L211, L312, L411

FM 0919-1

1-10
Leather L211, L312, L411



518-144
Beige Split Velour, Gold Metallic Nappa
SOLE S131 EVA



911
Burgundy Chevreau
SOLE S170 PU



202
Black Nappa
SOLE S170 PU



202
Black Nappa
SOLE S170 PU



392
Dark Brown Waxed Nubuck
SOLE S153 Rubber



354
Dark Brown Chevreau
SOLE S132 EVA



874
Blue Nappa
SOLE S131 EVA



572
Light Brown Nubuck
SOLE S172 PU

OIL TIP CHOOSE ANY STYLE
ON ANY LAST

WOMEN

ORTHO

SAME STYLE,
AVAILABLE WITH LACES
OR VELCRO STRAPS



FM 1012

1-10
Textile L224, L724



707-700
Light Grey Pig Velour, Grey Textile
SOLE S141 EVA, Rubber



FM 1036

1-10
Textile L224, L724



958-954
Red Split Velour, Red Textile
SOLE S141 EVA, Rubber



In FIA, this style is produced with a white edge that cannot be changed.

In FIA, this style is produced with a white edge that cannot be changed.



208-244
Black Split Velour, Black Textile
SOLE S141 EVA, Rubber



208-224
Black Split Velour, Black Textile
SOLE S147 EVA, Rubber



214
Black Nappa
SOLE S242 EVA, Rubber



878-823
Blue Split Velour, Blue Embossed Chevreau
SOLE S242 EVA, Rubber

ORTHO

FM 0939



1-10

Textile L234, L314, L414



381-346
Dark Brown Nappa, Dark Brown Stretch Nubuck
SOLE S132 EVA



202-218
Black Nappa, Black Stretch Lycra and Neoprene
SOLE S170 PU



832-846
Dark Blue Nappa, Dark Blue Stretch Nubuck
SOLE S240 EVA, Rubber

FM 1058



1-10

Textile L714

BOA Fit System
is exclusive for FIA.

For OAS and
OIL solution,
see page 20.



958-933
Red Split Velour, Red Embossed Chevreau
SOLE S141 EVA, Rubber



116-102
Off-white Chevreau Velour, White Nappa
SOLE S141 EVA, Rubber



208-223
Black Split Velour, Black Embossed Chevreau
SOLE S147 EVA, Rubber



348-336
Brown Split Velour, Brown Nubuck
SOLE S147 EVA, Rubber



878-823
Blue Split Velour, Blue Embossed Chevreau
SOLE S141 EVA, Rubber



REPLACE THE "STAY-IN" STRAPS
WITH STANDARD VELCRO STRAPS

MORE ABOUT:

Velcro straps and
"Stay-in" strap design.

ON
PAGE
20

ORTHO

FM 0555



1-10



Leather L211, L312, L411



15 cm



22 cm



393-307

Camel Nappa, Camel Pig Velour

SOLE S195 TR

Medial zipper
for easy donning

Plain vamp



202

Black Nappa

SOLE S152 Rubber



212

Black Waxed Nubuck

SOLE SE23 EVA, Rubber



596-393

Mustard Nubuck, Camel Nappa

SOLE SE23 EVA, Rubber



886-877

Blue Nubuck, Blue Textile

SOLE SE8 EVA, Vibram Rubber



**PLAIN VAMP STYLES ARE MORE
SUITABLE FOR OIL ADAPTATIONS**

**Built and Milled Soles (SE) are highly
versatile, fitting all lasts, widths, sizes,
and adjustments.**

SEE
PAGE
107

ORTHO

FM 1076

BOA

1-10

Textile L204

12 cm

30 cm

BOA Fit System
is exclusive for **FIA**.

For **OAS** and
OIL solution,
see page 20.



208-201
Black Split Velour, Black Nappa
SOLE | S147 EVA, Rubber



972-927
Burgundy Waxed Nubuck, Burgundy Pig Velour
SOLE | SE37 EVA, Rubber

FM 0941



1-10

Textile L244

14 cm

20 cm



251-323-658-307
Black Coated Split, Dark Brown Waxed Nappa,
Olive Split Velour, Camel Pig Velour
SOLE | S213 EVA, Rubber



Hooks and closed hooks
are more suitable for boots
with **bellows tongue**



251-214-257-737
Black Coated Split, Black Nappa, Black Textile,
Grey Pig Velour
SOLE | S111 TR



251-214-987-927
Black Coated Split, Black Nappa,
Red Pig Velour, Burgundy Pig Velour
SOLE | SE24 Vibram Gumlite



BELLOWS TONGUE
EYELETS VS HOOKS

In **OAS** and **OIL**, changing the fastening is possible, but in styles with **bellows tongue**, we recommend **hooks** instead of eyelets.

ORTHO

FM 0914

	
	1-10
	Warm L217, L317
	10 cm
	20 cm



Plain vamp



754-722
Dark Grey Waxed Nubuck, Grey Chevreau
SOLE | S195 TR



202
Black Nappa
SOLE | S242 EVA, Rubber



972
Burgundy Waxed Nubuck
SOLE | S213 EVA, Rubber

FM 1028

	
	1-10
	Warm L217, L317
	16 cm
	22 cm



201-209
Black Nappa, Black Croco
SOLE | SE25 EVA, Neolite



321
Brown Nappa
SOLE | S195 TR

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE
PAGE
107

ORTHO

FM 0947

	2X
	1-10
	Warm L217, L317
	12 cm
	25 cm



333
Cognac Waxed Leather
SOLE | SE26 EVA, Rubber



754
Dark Grey Waxed Nubuck
SOLE | S153 Rubber



892
Dark Blue Waxed Nubuck
SOLE | S195 TR

FM 14662

	1-10
	Warm L217, L317
	17 cm
	26 cm



314
Brown Nappa
SOLE | S195 TR



214
Black Nappa
SOLE | SE26 EVA, Rubber



383
Dark Brown Waxed Leather
SOLE | S195 TR

WOMEN

ORTHO

FM 1074

	
	1-10
	Warm L217, L317
	36.5 cm
	40 cm



Full medial zipper for easy entry

202
Black Nappa
SOLE S195 TR

SIZE		
2	36 cm	35 cm
4.5	40 cm	36.5 cm
9	45 cm	41 cm



302
Brown Waxed Nubuck
SOLE SE50 EVA, Rubber

In FIA, this part is always unlined black Lycra and cannot be changed.

Lycra on the back part of the shaft for a snug fit



202-209
Black Nappa, Black Croco
SOLE SE25 EVA, Neolite



OAS OIL TIP CHANGE THE BACK SHAFT MATERIAL

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE PAGE 107

UNISEX COLLECTION

All colour/material options are available at klaveness.no, in the **Materials Guide** section.

This catalogue displays the **FIA standard configuration** for each style.

Upper and lining material samples are available upon request.

All styles in this catalogue are available as **FIA, OAS and OIL**.

DISCOVER MORE AT
[KLAVENESS.NO](https://klaveness.no)

OR ASK YOUR LOCAL
CUSTOMER SERVICE

post@klaveness.no
info@klaveness.se
asiakaspalvelu@klaveness.fi

STAY
UPDATED
WITH A
QUICK
SCAN!

+ DETAILS ON PAGE 18



FREE

FM 1101



35-50
Textile L204

NEW



202
Black Nappa

SOLE S822 EVA, Rubber



102
White Nappa

SOLE S821 EVA, Rubber



In FIA, the tongue's lining is always in textile and cannot be changed.

FM 1083

35-50
Textile L224, L724

Similar to ME SC007.

This style may differ from ME SC007 due to production methods and materials.



121-707
White Nappa, Light Grey Pig Velour

SOLE S821 EVA, Rubber



Plain vamp



221-208
Black Nappa, Black Split Velour

SOLE S822 EVA, Rubber



821-397
Blue Nappa, Camel Waxed Nubuck

SOLE S847 EVA, Rubber



PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS

Changing standard lining materials may compromise related features.



FREE

FM 25121



35-50



Leather L211, L312, L411

BOA Fit System
is exclusive for **FIA**.

For OAS and
OIL solution,
see page 20.



121-446-100
White Nappa, Beige Nubuck, White Textile
SOLE S821 EVA, Rubber



NEW



283
Black Nappa
SOLE S822 EVA, Rubber



323-348
Dark Brown Waxed Nappa, Brown Split Velour
SOLE SE93 EVA, Rubber

FM 1081



35-50



Leather L211, L312, L411



821
Blue Nappa
SOLE S821 EVA, Rubber



Plain vamp



202
Black Nappa
SOLE S847 EVA, Rubber



206
Black Nubuck
SOLE S872 EVA, Rubber

UNISEX

This dial fastener supports
higher levels of customisation.
More about dial fasteners on page 20.



FREE

FM 25122



NEW



35-50



Leather L211, L312, L411



738-336-494

Grey Split Velour, Brown Nubuck,
Bronze Metallic Nappa

SOLE S821 EVA, Rubber



121-141

White Nappa, Silver Metallic Nappa

SOLE S857 EVA, Rubber



208-201-244-205

Black Split Velour, Black Nappa,
Black Textile, Black Patent Leather

SOLE S822 EVA, Rubber



FREE

FM 1079



35-50
Leather L211, L312, L411



323
Dark Brown Waxed Nappa
SOLE S852 TR



202
Black Nappa
SOLE S847 EVA, Rubber



Plain vamp

FM 1068

35-50
Leather L211, L312, L411



Plain vamp



202
Black Nappa
SOLE S847 EVA, Rubber



MATCHES
FITTING STOCK
ME PRV21

OIL TIP PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS

MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

ON
PAGE
115

FREE

FM 1073

	35-50
	Textile L714



121
White Nappa
SOLE | S857 EVA, Rubber



205-201
Black Patent Leather, Black Nappa
SOLE | S872 EVA, Rubber



221-244
Black Nappa, Black Textile
SOLE | S847 EVA, Rubber



518-446-494
Beige Split Velour, Beige Nubuck, Bronze Metallic Nappa
SOLE | S821 EVA, Rubber



832-898
Dark Blue Nappa, Dark Blue Split Velour
SOLE | S862 PU, Rubber



336-299-518-141
Brown Nubuck, Grey Textile, Beige Split Velour, Silver Metallic Nappa
SOLE | S821 EVA, Rubber



518-446-494
Beige Split Velour, Beige Nubuck, Bronze Metallic Nappa
SOLE | SE91 EVA, Rubber



707-700
Light Grey Pig Velour, Grey Textile
SOLE | S857 EVA, Rubber

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE PAGE
107

FREE

SAME STYLE,
AVAILABLE WITH LACES
OR DIAL FASTENER

The **standard lining** used in these styles **continues**
to the **external top part of the tongue**.

Keep in mind that **changing**
the **standard lining** will
affect the final look.



FM 1069

35-50
Textile L204



251-208-566-279
Black Coated Split, Black Split Velour,
Yellow Nubuck, Black Textile
SOLE | S847 EVA, Rubber



251-208-333-279
Black Coated Split, Black Split Velour,
Cognac Waxed Leather, Black Textile
SOLE | S847 EVA, Rubber



251-208-754-279
Black Coated Split, Black Split Velour,
Dark Grey Waxed Nubuck, Black Textile
SOLE | S847 EVA, Rubber



251-208-518-279
Black Coated Split, Black Split Velour,
Beige Split Velour, Black Textile
SOLE | S847 EVA, Rubber



251-208-987-279
Black Coated Split, Black Split Velour,
Red Pig Velour, Black Textile
SOLE | S847 EVA, Rubber

FM 1071

BOA

35-50
Textile L204

BOA Fit System
is exclusive for **FIA**.

For OAS and
OIL solution,
see page 20.



251-208-518-279
Black Coated Split, Black Split Velour,
Beige Split Velour, Black Textile
SOLE | S847 EVA, Rubber



251-208-737-279
Black Coated Split, Black Split Velour,
Grey Pig Velour, Black Textile
SOLE | S847 EVA, Rubber

Changing **standard lining** materials
may compromise **related features**.



FREE

SAME STYLE,
AVAILABLE WITH
DIAL FASTENER OR LACES

FM 1088



BOA Fit System
is exclusive for **FIA**.

For **OAS** and
OIL solution,
see page 20.

	35-50
	Textile L204
	11.5 cm
	26 cm



251-658-754-279
Black Coated Split, Olive Split Velour,
Dark Grey Waxed Nubuck, Black Textile
SOLE | S740 Vibram PU, Rubber



251-208-212-279
Black Coated Split, Black Split Velour,
Black Waxed Nubuck, Black Textile
SOLE | S847 EVA, Rubber



FM 1429

	35-50
	Textile L204
	11.5 cm
	26 cm



251-208-333-279
Black Coated Split, Black Split Velour,
Cognac Waxed Leather, Black Textile
SOLE | S840 EVA, Vibram Arctic Grip Rubber



251-208-383-279
Black Coated Split, Black Split Velour,
Dark Brown Waxed Leather, Black Textile
SOLE | S847 EVA, Rubber



251-208-212-279
Black Coated Split, Black Split Velour,
Black Waxed Nubuck, Black Textile
SOLE | S822 EVA, Rubber



251-737-862-279
Black Coated Split, Grey Pig Velour,
Blue Waxed Nubuck, Black Textile
SOLE | S847 EVA, Rubber

The **standard lining** used in these styles **continues**
to the **external top part** of the **tongue**.

Keep in mind that **changing**
the **standard lining** will
affect the final look.

Coated split
reinforcement

Changing **standard lining** materials
may compromise **related features**.



FREE

FM 1075



35-50

Textile L244

14 cm

28 cm



892-878-968

Dark Blue Waxed Nubuck, Blue Split Velour,
Lilac Split Velour

SOLE S840 EVA, Vibram Arctic Grip Rubber



Hooks and closed hooks
are more suitable for boots
with bellows tongue



Vibram
Arctic Grip sole

Coated split
reinforcement



251-212-208-737

Black Coated Split, Black Waxed Nubuck,
Black Split Velour, Grey Pig Velour

SOLE S840 EVA, Vibram Arctic Grip Rubber

UNISEX



251-323-658-307

Black Coated Split, Dark Brown Waxed Nappa,
Olive Split Velour, Camel Pig Velour

SOLE S532 Vibram Rubber



251-323-658-307

Black Coated Split, Dark Brown Waxed Nappa,
Olive Split Velour, Camel Pig Velour

SOLE S740 Vibram PU, Rubber



BELLOWS TONGUE
EYELETS VS HOOKS

In OAS and OIL, changing the fastening is possible, but in styles with bellows tongue, we recommend hooks instead of eyelets.

Designed to include water-resistant membrane. See page 20.



FREE

FM 1064

	
	35-50
	Warm L217, L317
	16 cm
	24 cm



383
Dark Brown Waxed Leather
SOLE SE24 Vibram Gumlite



754-722-770
Dark Grey Waxed Nubuck, Grey Chevreau, Grey Textile
SOLE S970 Rubber



926-770
Red Nubuck, Grey Textile
SOLE S847 EVA, Rubber

FM 1082

	
	35-50
	Textile L224, L724
	11.5 cm
	24 cm



212-208-102
Black Waxed Nubuck, Black Split Velour, White Nappa
SOLE S821 EVA, Rubber



892-707
Dark Blue Waxed Nubuck, Light Grey Pig Velour
SOLE S847 EVA, Rubber

OIL TIP CHOOSE ANY STYLE ON ANY LAST

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE PAGE 107

FREE

SAME STYLE,
AVAILABLE WITH LACES
OR VELCRO STRAPS



Plain vamp

FM 1063

	35-50
	Textile L101, L201
	12 cm
	26.5 cm



393-397
Camel Nappa, Camel Waxed Nubuck
SOLE | S847 EVA, Rubber



212-201
Black Waxed Nubuck, Black Nappa
SOLE | S847 EVA, Rubber



FM 1062

	
	35-50
	Textile L101, L201
	12 cm
	26.5 cm



754-737
Dark Grey Waxed Nubuck, Grey Pig Velour
SOLE | S847 EVA, Rubber



212-201
Black Waxed Nubuck, Black Nappa
SOLE | S847 EVA, Rubber



348-381-393
Brown Split Velour, Dark Brown Nappa, Camel Nappa
SOLE | S970 Rubber

UNISEX

 **PLAIN VAMP STYLES ARE MORE
SUITABLE FOR OIL ADAPTATIONS**



MEN COLLECTION

All **colour/material** options are available at klaveness.no, in the **Materials Guide** section.

This catalogue displays the **FIA standard configuration** for each style.

Upper and lining material samples are available upon request.

All styles in this catalogue are available as **FIA, OAS and OIL**.

DISCOVER MORE AT
KLAVENESS.NO

OR ASK YOUR LOCAL
CUSTOMER SERVICE

post@klaveness.no
info@klaveness.se
asiakaspalvelu@klaveness.fi

STAY
UPDATED
WITH A
QUICK
SCAN!

+ DETAILS ON PAGE 18



SAME STYLE,
AVAILABLE WITH
DIAL FASTENER OR LACES

FM 1497



BOA Fit System
is exclusive for FIA.

For OAS and
OIL solution,
see page 20.



FM 1497-1



754
Dark Grey Waxed Nubuck
SOLE S847 EVA, Rubber



382
Dark Brown Nappa
SOLE S862 PU, Rubber




202
Black Nappa
SOLE S862 PU, Rubber



302
Brown Waxed Nubuck
SOLE SE21 EVA, Rubber

FM 1392



202
Black Nappa
SOLE S862 PU, Rubber

MATCHES
FITTING STOCK
ME PRV15



MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

ON
PAGE
115

Designed to include water-resistant
membrane. See page 20.



JO

FM 1394

	
	35-50
	Warm L327
	12 cm
	26 cm

The standard lining used in these styles includes fur on the collar and tongue.

If your choice is not "Warm" lining, the fur will not be applied.



754
Dark Grey Waxed Nubuck
SOLE | S847 EVA, Rubber



283
Black Waxed Leather
SOLE | S847 EVA, Rubber



333
Cognac Waxed Leather
SOLE | S852 TR



383
Dark Brown Waxed Leather
SOLE | S862 PU, Rubber

FM 1427

	
	35-50
	Textile L224, L724
	10.5 cm
	28 cm



212-208-102
Black Waxed Nubuck, Black Split Velour,
White Nappa
SOLE | S847 EVA, Rubber



203-212-737
Black Nappa, Black Waxed Nubuck, Grey Pig Velour
SOLE | S852 TR

This dial fastener supports higher levels of customisation. More about dial fasteners on page 20.



MEN

THOR

FM 1423

BOA Fit System
is exclusive for **FIA**.

BOA



35-52



Textile L244

For OAS and
OIL solution,
see page 20.



786
Grey Nubuck

SOLE | S650 PU



Wide opening

202
Black Nappa

SOLE | S642 EVA, Rubber



323
Dark Brown Waxed Nappa

SOLE | S650 PU



786
Grey Nubuck

SOLE | SE49 EVA, Rubber

FM 1323



35-52



Leather L211, L312, L411

SAME AS ME 1390



397
Camel Waxed Nubuck

SOLE | S650 PU



202
Black Nappa

SOLE | S650 PU



336
Brown Nubuck

SOLE | S711 TR

Built and Milled Soles (SE) are highly
versatile, fitting all lasts, widths, sizes,
and adjustments.

SEE
PAGE

107

THOR

SAME STYLE,
AVAILABLE WITH DIAL FASTENER,
LACES OR VELCRO STRAPS



FM 1432



35-52
Textile L224, L724

BOA Fit System
is exclusive for FIA.

For OAS and
OIL solution,
see page 20.

FM 1430



35-52
Textile L224, L724

FM 1431



35-52
Textile L224, L724



202-244-208
Black Nappa, Black Textile, Black Split Velour
SOLE | S690 PU

202-244-208
Black Nappa, Black Textile, Black Split Velour
SOLE | S690 PU

202-244-208
Black Nappa, Black Textile, Black Split Velour
SOLE | S690 PU

OIL TIP PLAIN VAMP STYLES ARE MORE
SUITABLE FOR OIL ADAPTATIONS

MEN

THOR

SAME STYLE,
AVAILABLE WITH VELCRO STRAPS
OR DIAL FASTENER



FM 1404



35-52
Leather L211, L312, L411



323-348-393
Dark Brown Waxed Nappa, Brown Split Velour,
Camel Nappa

SOLE | S752 XL Extralight EVA

FM 1405



35-52
Leather L211, L312, L411

BOA Fit System
is exclusive for FIA.

For OAS and
OIL solution,
see page 20.



834-800-397
Dark Blue Nappa, Dark Blue Textile,
Camel Waxed Nubuck

SOLE | S640 EVA, Rubber



214-208-754
Black Nappa, Black Split Velour,
Dark Grey Waxed Nubuck

SOLE | S642 EVA, Rubber



707-700-737
Light Grey Pig Velour, Grey Textile, Grey Pig Velour

SOLE | S640 EVA, Rubber



323-393
Dark Brown Waxed Nappa, Camel Nappa

SOLE | S711 TR



333-348
Cognac Waxed Leather, Brown Split Velour

SOLE | S640 EVA, Rubber



886
Blue Nubuck

SOLE | S640 EVA, Rubber



CHOOSE ANY STYLE
ON ANY LAST

THOR

SAME STYLE,
AVAILABLE WITH LACES,
VELCRO STRAPS OR DIAL FASTENER



FM 1388

35-52
Textile L224, L724



102-707
White Nappa, Light Grey Pig Velour
SOLE | S751 XL Extralight EVA

FM 1388-1

35-52
Textile L224, L724



302-348-572
Brown Waxed Nubuck, Brown Split Velour,
Light Brown Nubuck
SOLE | S722 EVA, Rubber

FM 1011

35-52
Textile L224, L724
SAME AS ME 1401

BOA Fit System
is exclusive for FIA.
For OAS and
OIL solution,
see page 20.



212-224-208-102
Black Waxed Nubuck, Black Textile,
Black Split Velour, White Nappa
SOLE | S642 EVA, Rubber



202
Black Nappa
SOLE | SE50 EVA, Rubber



212-208-102
Black Waxed Nubuck, Black Split Velour,
White Nappa
SOLE | S640 EVA, Rubber



821-837-786
Blue Nappa, Blue Pig Velour, Grey Nubuck
SOLE | SE93 EVA, Rubber



203-212-737
Black Nappa, Black Waxed Nubuck, Grey Pig Velour
SOLE | S642 EVA, Rubber

Built and Milled Soles (SE) are highly
versatile, fitting all lasts, widths, sizes,
and adjustments.
SEE
PAGE
107

MEN

THOR

FM 1013

35-52
Textile L224, L724



208-244
Black Split Velour, Black Textile
SOLE S640 EVA, Rubber



In FIA, this style is produced with a white edge that cannot be changed.



102-100
White Nappa, White Textile
SOLE S640 EVA, Rubber



208-244
Black Split Velour, Black Textile
SOLE S721 EVA, Rubber

FM 1380

35-52
Leather L211, L312, L411



116
Off-white Chevreau Velour
SOLE S751 XL Extralight EVA



Decorative perforation



212
Black Waxed Nubuck
SOLE S752 XL Extralight EVA



302
Brown Waxed Nubuck
SOLE S751 XL Extralight EVA



CHOOSE ANY STYLE
ON ANY LAST

THOR

SAME STYLE,
AVAILABLE WITH LACES
OR VELCRO STRAPS



FM 1330

35-52
Leather L211, L312, L411



717
Grey Pig Velour

SOLE SE49 EVA, Rubber



201
Black Nappa

SOLE S650 PU



393
Camel Nappa

SOLE S711 TR

FM 1330-1

35-52
Leather L211, L312, L411



212
Black Waxed Nubuck

SOLE S752 XL Extralight EVA



392
Dark Brown Waxed Nubuck

SOLE S650 PU



892-836
Dark Blue Waxed Nubuck, Dark Blue Nubuck

SOLE S680 Vibram Gumlite

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE
PAGE
107

MEN

THOR

FM 1309

35-52
Leather L211, L312, L411



323
Dark Brown Waxed Nappa
SOLE S660 Neolite



202
Black Nappa
SOLE S650 PU

MATCHES
FITTING STOCK
ME PRV1

FM 1393

35-52
Textile L244



283
Black Waxed Leather
SOLE S740 Vibram PU, Rubber

754
Dark Grey Waxed Nubuck
SOLE S642 EVA, Rubber

CHANGE INSTEP
Move up (towards the ankle)
or move forward (towards the toes)

WIDEN OR NARROW FACING
to adjust the gap between eyelets

CHANGE OPENING
Move forward (towards the toes)
or move back (towards the ankle)

OAS OIL TIP **MODIFY FACING**
(AVAILABLE UPON REQUEST)

MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

ON PAGE
115

THOR

FM 1382



35-52

Leather L211, L312, L411



Medial and lateral zippers
for wide opening
and easy donning



212
Black Waxed Nubuck

SOLE | S740 Vibram PU, Rubber



214
Black Nappa

SOLE | S752 XL Extralight EVA



392
Dark Brown Waxed Nubuck

SOLE | S722 EVA, Rubber

FM 1381



35-52

Leather L211, L312, L411



Decorative perforation



202
Black Nappa

SOLE | S711 TR



333
Cognac Waxed Leather

SOLE | S650 PU



874
Blue Nappa

SOLE | S751 XL Extralight EVA

Designed to include water-resistant membrane. See page 20.



MEN

THOR

FM 1434



35-52



Textile L224, L724



11 cm



25 cm



202-244-208

Black Nappa, Black Textile, Black Split Velour

SOLE S690 PU

Medial zipper
for easy donning

Plain vamp with decorative stitching

FM 1395



35-52



Textile L244



14 cm



28 cm



214-257-737

Black Nappa, Black Textile, Grey Pig Velour

SOLE S740 Vibram PU, Rubber

Hooks and closed hooks
are more suitable for boots
with bellows tongue

251-323-658-307

Black Coated Split, Dark Brown Waxed Nappa,
Olive Split Velour, Camel Pig Velour

SOLE S740 Vibram PU, Rubber

BELLOWS TONGUE
EYELETS VS HOOKS

In OAS and OIL, changing the fastening is possible, but in styles with bellows tongue, we recommend hooks instead of eyelets.

Designed to include water-resistant membrane. See page 20.



THOR

FM 1407



35-52

Textile L244

17 cm

24 cm

BOA Fit System
is exclusive for **FIA**.

For **OAS** and
OIL solution,
see page 20.



251-323-307-658
Black Coated Split, Dark Brown Waxed Nappa,
Camel Pig Velour, Olive Split Velour

SOLE SE68 EVA, Vibram Arctic Grip Rubber



214-737-212
Black Nappa, Grey Pig Velour, Black Waxed Nubuck

SOLE S740 Vibram PU, Rubber

FM 1369



35-52

Textile L244

12 cm

27 cm



323-348
Dark Brown Waxed Nappa, Brown Split Velour

SOLE SE23 EVA, Rubber



214
Black Nappa

SOLE S740 Vibram PU, Rubber

Designed to include **water-resistant**
membrane. See **page 20**.



Built and Milled Soles (SE) are highly
versatile, fitting **all lasts, widths, sizes,**
and **adjustments.**

SEE
PAGE
107

THOR

FM 1420

BOA Fit System
is exclusive for FIA.

BOA

35-52

Warm L217, L317

11 cm

24 cm

For OAS and
OIL solution,
see page 20.



Coated split
mudguard



251-754-738

Black Coated Split, Dark Grey Waxed Nubuck,
Grey Split Velour

SOLE S740 Vibram PU, Rubber



208-283-257

Black Split Velour, Black Waxed Leather,
Black Textile

SOLE S642 EVA, Rubber



348-333-330

Brown Split Velour, Cognac Waxed Leather,
Brown Textile

SOLE S722 EVA, Rubber

FM 1384

ZX

35-52

Warm L217, L317

15 cm

23 cm



392

Dark Brown Waxed Nubuck

SOLE SE23 EVA, Rubber



202

Black Nappa

SOLE S690 PU

Built and Milled Soles (SE) are highly
versatile, fitting all lasts, widths, sizes,
and adjustments.

SEE
PAGE
107

THOR

FM 1374

	
	35-52
	Leather L211, L312, L411
	11 cm
	22 cm

Medial zipper
for easy donning



392
Dark Brown Waxed Nubuck
SOLE | S650 PU



333
Cognac Waxed Leather
SOLE | S680 Vibram Gumlite

FM 1408

	
	35-52
	Warm L217, L317
	14 cm
	24 cm



383
Dark Brown Waxed Leather
SOLE | SE23 Heritage Welt, EVA, Rubber

Delivered with red and brown laces, this "Heritage Boot" combines the 383 upper with the SE23 sole and the "Heritage Welt".

The standard welt will be used for any other upper colour combined with sole SE23.



283
Black Waxed Leather
SOLE | S740 Vibram PU, Rubber

THOM

FM 1422

	35-50
	Leather L211, L312, L411



348
Brown Split Velour
SOLE SE22 Vibram Gumlite



273
Black Nappa
SOLE S320 EVA



332
Brown Nappa
SOLE S320 EVA

FM 1428

	35-50
	Leather L211, L312, L411



202
Black Nappa
SOLE S320 EVA

MATCHES
FITTING STOCK
ME PRV22

To complete the size range of the Thom last, we suggest using Built Soles SE21 or SE22.		SEE PAGE 110	MORE ABOUT: Fitting Stock footwear (MOQ: 5 pairs/article).	ON PAGE 115
---	--	------------------------	---	-----------------------

TREATMENT COLLECTION

All **colour/material** options are available at klaveness.no, in the **Materials Guide** section.

This catalogue displays the **FIA standard configuration** for each style.

Upper and lining material samples are available upon request.

All **styles** in this catalogue are available as **FIA, OAS and OIL**.

DISCOVER MORE AT
[KLAVENESS.NO](https://klaveness.no)

OR ASK YOUR LOCAL
CUSTOMER SERVICE

post@klaveness.no
info@klaveness.se
asiakaspalvelu@klaveness.fi

STAY
UPDATED
WITH A
QUICK
SCAN!

+ DETAILS ON PAGE 18



NÅBLING

FM 0871

35-50

Textile L234, L314, L414



446
Beige Nubuck
SOLE | S952 PU



202
Black Nappa
SOLE | S952 PU



392
Dark Brown Waxed Nubuck
SOLE | S952 PU

SAME STYLE,
AVAILABLE WITH LACES
OR VELCRO STRAPS



FM 0870

35-50

Textile L244



212
Black Waxed Nubuck
SOLE | S952 PU

FM 0870-1

35-50

Textile L234, L314, L414



354
Dark Brown Chevreau
SOLE | S952 PU



392
Dark Brown Waxed Nubuck
SOLE | S952 PU



202
Black Nappa
SOLE | S952 PU



202
Black Nappa
SOLE | S952 PU

MATCHES
FITTING STOCK
ME PRV14

MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

NÅBLING

SAME STYLE,
AVAILABLE WITH LACES
OR VELCRO STRAPS



FM 0872-1

	35-50
	Warm L217, L317
	16.5 cm
	28 cm

FM 0872

	35-50
	Warm L217, L317
	16.5 cm
	28 cm



392
Dark Brown Waxed Nubuck
SOLE | S952 PU



202
Black Nappa
SOLE | S952 PU



392
Dark Brown Waxed Nubuck
SOLE | S952 PU

FOOTFORM

FM 1391

	35-50
	Leather L211, L312, L411



202
Black Nappa
SOLE | S910 PU

MATCHES
FITTING STOCK
ME PRV9



MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

ON
PAGE
115

NEW REHAB

FM 0716



35-50

Textile L244

14 cm

21 cm

862
Blue Waxed Nubuck

SOLE | S910 PU

222
Black Artificial Leather

SOLE | S910 PU

FM 0709



35-50

Textile L234, L314, L414

"Stay-in"
strap design898
Dark Blue Split Velour

SOLE | S910 PU

208
Black Split Velour

SOLE | S932 EVA

FM 0702



35-50

Textile L704

"Stay-in"
strap design302
Brown Waxed Nubuck

SOLE | S910 PU

214
Black Nappa

SOLE | S910 PU

MATCHES
FITTING STOCK

ME PRV18

REPLACE THE "STAY-IN" STRAPS
WITH STANDARD VELCRO STRAPS

MORE ABOUT:

Fitting Stock footwear
(MOQ: 5 pairs/article).ON
PAGE
115

NEW REHAB

SAME STYLE,
AVAILABLE WITH LACES
OR VELCRO STRAPS



FM 0700

35-50
Textile L704

FM 0701

35-50
Textile L704



393
Camel Nappa
SOLE S910 PU



202
Black Nappa
SOLE S910 PU



202
Black Nappa
SOLE S910 PU



MATCHES
FITTING STOCK
ME PRV10



337
Dark Brown Pig Velour
SOLE S910 PU

FM 0704

35-50
Textile L244
15 cm 26 cm



212
Black Waxed Nubuck
SOLE S932 EVA



392
Dark Brown Waxed Nubuck
SOLE S910 PU

MORE ABOUT:
Velcro straps and
"Stay-in" strap design.

ON
PAGE
20

MORE ABOUT:
Fitting Stock footwear
(MOQ: 5 pairs/article).

ON
PAGE
115

OAS / OIL EXCLUSIVES

SPECIAL FEATURES


- Wool felt (003 Black or 007 Light Grey) is the standard upper material; other materials may be requested.
- Wool felt is reserved for these two styles and is not available for other products.
- Sole options are limited to Built or Milled (SE).

MATERIALS EXCLUSIVE TO THESE STYLES

	CODE	COLOUR, MATERIAL	THICKNESS
	003	Black Wool Felt	4.0 mm
	007	Light Grey Wool Felt	4.0 mm

NEW REHAB

FM 0718




NEW



222-007
Black Artificial Leather, Grey Felt
SOLE SE11 EVA, Rubber

FM 0719



NEW



007
Grey Felt
SOLE SE70 EVA, Vibram Newflex Rubber

Built and Milled Soles (SE) are highly versatile, fitting all lasts, widths, sizes, and adjustments.

SEE PAGE
107



The styles in this page are **only available** as OAS or OIL and cannot be ordered as FIA.



STANDARD SOLES

Standard Soles are pre-made soles that are compatible with Klaveness standard lasts. Each sole has different characteristics, such as heel height and material composition. Selecting a heel height close to your lasts' heel height will deliver the best results.

Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page
S111	101	S212	100	S511	97	S560	98	S711	106	S847	103, 104
S112	101	S213	100	S517	97	S562	98	S712	106	S852	103, 104
S131	100	S240	100	S522	96	S563	98	S721	105	S857	102
S132	100	S242	100	S524	96	S571	98	S722	105	S862	102, 104
S141	100	S320	104	S531	98	S572	98	S740	98, 102, 105	S872	102
S147	100	S401	99	S532	98, 102	S640	105	S751	105	S910	106
S152	101	S402	99	S542	97	S642	105	S752	105	S932	106
S153	101	S411	99	S547	97	S650	105	S811	102, 104	S952	106
S170	101	S412	99	S551	96	S660	106	S821	103	S970	103
S172	101	S413	99, 102, 104	S552	96	S680	106	S822	103		
S195	100	S437	99	S553	96	S690	105	S840	102		

KIDS


NEMO

S522



Nemo TN4	20-41	0 mm	≈117 g/Unit	TR
Nemo TN2	Not available			
Nemo TN6	20-41			
Nemo TN8	Not Available			

S553



NOT
SUITED
FOR
SANDALS

Nemo TN4	20-42	8 mm	≈80 g/Unit	EVA, Rubber
Nemo TN2	25-38			
Nemo TN6	Not Available			
Nemo TN8	25-38			

S524



Nemo TN4	20-41	0 mm	≈117 g/Unit	TR
Nemo TN2	Not available			
Nemo TN6	20-41			
Nemo TN8	Not Available			

S551



NOT
SUITED
FOR
SANDALS

Nemo TN4	20-42	8 mm	≈80 g/Unit	EVA, Rubber
Nemo TN2	Not Available			
Nemo TN6	Not Available			
Nemo TN8	20-38			

S552



NOT
SUITED
FOR
SANDALS

Nemo TN4	20-42	8 mm	≈80 g/Unit	EVA, Rubber
Nemo TN2	Not Available			
Nemo TN6	20-42			
Nemo TN8	20-38			

Choose a **Built** or **Milled Sole** for all sizes and widths of the **Nemo** last.

SEE
PAGE
107

NEMO

S511



				
Nemo TN4	20-42	7.5 mm	≈80 g/Unit	EVA, Rubber
Nemo TN2	Not Available			
Nemo TN6	Not Available			
Nemo TN8	25-38			

S517



				
Nemo TN4	20-42	7.5 mm	≈80 g/Unit	EVA, Rubber
Nemo TN2	25-38			
Nemo TN6	20-42			
Nemo TN8	Not Available			

TRACER

S547



S542



				
Tracer	20-42	13 mm	≈110 g/Unit	PU

Choose a **Built** or **Milled Sole** for all sizes and widths of the **Nemo** last.

SEE
PAGE
107

HIKER

S562



S560



Hiker



20-39



4 mm



≈110 g/Unit



TR

S563



Hiker



40-42



3 mm



≈150 g/Unit (Size 41)



TR

S571



S572



Hiker



20-42



10 mm



≈90 g/Unit



EVA, Rubber

S531



Hiker



20-23



8 mm



≈120 g/Unit (Size 23)



Rubber

S532



Hiker



24-40



9 mm



≈160 g/Unit



Vibram Rubber

S740



Hiker



41-44



10 mm



≈270 g/Unit (Size 41) Vibram PU, Rubber

WOMEN

LISA EXTRA

S413



S411



S412



Lisa Extra 1-10* 13 mm ≈150 g/Unit PU, Rubber

S437



Lisa Extra 3.5-10 7 mm ≈130 g/Unit EVA, Rubber

LISA EXTRA - 3 WIDTHS

S401



S402



Lisa Extra 1-10 15 mm ≈140 g/Unit TR

(*) For sandals, please consider size range 2-10.

ORTHO

S141



S212



S147



S213



Ortho



2-9



13 mm



≈120 g/Unit



EVA, Rubber



Ortho



2-10



10 mm



≈150 g/Unit



EVA, Rubber

S240



S131



S242



S132



Ortho



2,5-10



10 mm



≈100 g/Unit



EVA, Rubber



Ortho



2-10



10 mm



≈60 g/Unit



EVA

S195



Ortho



2-10



18 mm



≈190 g/Unit



TR

WOMEN

ORTHO

S152



S153



Ortho 3-9 15 mm ≈ 210 g/Unit Rubber

ORTHO - 3 WIDTHS

S172



S170



Ortho 1-10 15 mm ≈ 140 g/Unit PU

S112



S111



Ortho 1-10 10 mm ≈ 170 g/Unit TR

FREE

S840



Free 36-50 13 mm ≈180 g/Unit EVA, Vibram Arctic Grip Rubber

S532



Free 36-41 9 mm ≈265 g/Unit (Size 41) Vibram Rubber

S857



S740



Free 40-47 10 mm ≈270 g/Unit Vibram PU, Rubber

S872



Free 36-46 10 mm ≈195 g/Unit EVA, Rubber

S413



S811



S862



Free 35-46 13 mm ≈200 g/Unit PU, Rubber

UNISEX

FREE

S852



S970



FREE - 2 WIDTHS

S847



S821



S822



JO

S847



Jo 36-46 7 mm ≈160 g/Unit EVA, Rubber

S852



Jo 39-48 10 mm ≈180 g/Unit TR

S413



S811



S862



Jo 35-48 13 mm ≈200 g/Unit PU, Rubber

THOM

S320



Thom 37-47 15 mm ≈130 g/Unit EVA

To complete the size range of the Thom last, we suggest using Built Soles SE21 or SE22.

SEE PAGE 110

THOR



Thor 35-46 10 mm ≈110 g/Unit EVA, Rubber



Thor 36-47 10 mm ≈200 g/Unit EVA, Rubber



Thor 40-46 12 mm ≈110 g/Unit XL Extralight EVA



Thor 40-48 17 mm ≈210 g/Unit PU



Thor 40-47 10 mm ≈270 g/Unit Vibram PU, Rubber



Thor 36-50 12 mm ≈200 g/Unit PU

THOR - 3 WIDTHS

S712



S711



Thor



36-47



10 mm



≈230 g/Unit



TR

S660



Thor



35-52



17 mm



≈230 g/Unit



Neolite

S680



Thor



36-52



10 mm



≈170 g/Unit



Vibram Gumlite

FOOTFORM | NEW REHAB

S932



Footform | New Rehab



35-50



12 mm



≈150 g/Unit



EVA

S910



Footform | New Rehab



35-50



12 mm



≈230 g/Unit



PU

NÅBLING

S952



Nåbling



35-49



16 mm



≈240 g/Unit



PU

Choose a Built or Milled Sole for all sizes of the Nåbling last.

SEE
PAGE
107

BUILT AND MILLED SOLES

Built and Milled Soles are highly versatile, as they fit most lasts, widths and sizes. We can produce them to any heel height or to meet any other specification you require.

Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page
S001B	108	SE22	110	SE44	108	SE57	108	SE69	109	SE85	109
S002C	108	SE23	110	SE45	108	SE58	108	SE70	109	SE86	109
SE2	109	SE24	110	SE46	108	SE59	108	SE71	109	SE87	109
SE3	109	SE25	110	SE47	108	SE60	108	SE72	109	SE88	109
SE4	110	SE26	110	SE48	108	SE61	108	SE73	109	SE89	109
SE6	108	SE37	108	SE49	108	SE62	108	SE74	109	SE90	109
SE8	108	SE38	108	SE50	109	SE63	108	SE75	109	SE91	109
SE9	110	SE39	108	SE51	109	SE64	108	SE80	109	SE92	109
SE11	109	SE40	108	SE52	109	SE65	108	SE81	109	SE93	109
SE14	108	SE41	108	SE53	108	SE66	109	SE82	109		
SE15	109	SE42	108	SE54	108	SE67	109	SE83	108		
SE21	110	SE43	108	SE55	108	SE68	109	SE84	108		

BUILT SOLES

We build up each midsole from an EVA block to the required height and configuration. A welt is attached, and a track is assembled as a separate part of the construction.

The standard EVA is Shore ≈50. Shore ≈35 (soft) is also available.


- The heel height of **Built and Milled Soles** is always defined by:
- The heel height of the last (or)
 - The one specified in the order


MILLED SOLES

The midsole unit is milled from an EVA block shaped according to your requirements. Milled soles are produced without layers of material and glue. They do not need a separate welt, as the wall in the milled EVA acts as a cup, concealing some of the footwear's visible height. Overall, it results in a lighter and more flexible sole.

The standard EVA is Shore ≈50. Shore ≈35 (soft) is also available.

- Conceals shoe volume by adding depth to the sole.
- No need for a separate welt - it is milled from the same EVA block as the midsole. Less glued layers result in a more flexible and appealing sole.







GOOD GRIP

BUILT EVA
SE3



MILLED EVA
SE69

BUILT EVA
SE11



MILLED EVA
SE51

BUILT EVA
SE15



MILLED EVA
SE52



All



All



4.5 mm



EVA, Rubber



BUILT EVA
SE80



MILLED EVA
SE66

BUILT EVA
SE81



MILLED EVA
SE67

BUILT EVA
SE82



MILLED EVA
SE68



All



37>



5 mm



EVA, Vibram Arctic Grip Rubber



NOT SUITED FOR SANDALS

BUILT EVA
SE91



NOT SUITED FOR SANDALS

BUILT EVA
SE92



BUILT EVA
SE93



All



20-48



4 mm



EVA, Rubber



BUILT EVA
SE85



MILLED EVA
SE70

BUILT EVA
SE86



MILLED EVA
SE71

BUILT EVA
SE87



MILLED EVA
SE72



BUILT EVA
SE88



MILLED EVA
SE73

BUILT EVA
SE89



MILLED EVA
SE74

BUILT EVA
SE90



MILLED EVA
SE75



All



All



5 mm



EVA, Vibram Newflex Rubber



GOOD GRIP

BUILT EVA
SE2



MILLED EVA
SE50



All



37>



8 mm



EVA, Rubber



LININGS

WARM

	L107	White	
	L230	Black	Real Lamb Fur
	L330	Light Brown	
	L217	Grey	
	L317	Brown	Felt, 3 mm foam
	L327	Brown	Synthetic Fur

LEATHER

	L110	Off-white	Chrome-free, soft
	L111	Off-white	Chrome-free, soft and perforated
	L211	Black	
	L312	Cognac	Cow, firm and durable
	L411	Beige	Cow, extra soft
	L421	Beige	Chrome-free, vegetable

TEXTILE

	L101	White	
	L201	Black	Lycra Neoprene, stretch
	L204	Black	Carmen, 4 mm foam, comfortable and durable
	L224	Black	
	L724	Grey	Drytex, 3 mm foam, resistant to friction
	L234	Black	
	L314	Brown	Coverlining, 3 mm HD foam
	L414	Beige	
	L244	Black	Pashmina, 2 mm foam, velvety touch
	L254*	Black	
	L415*	Beige	Coverlining, 1.8 mm, soft*
	L704	Grey	Perlon Velour, 3 mm foam, comfortable
	L714	Light Grey	Duka, 2 mm foam, smooth and fresh

(*) Only for FM 0987

The linings displayed next to each article are the **main standard** lining (and colour variants).

Find **detailed information** at klaveness.no in the **Materials Guide** section.

Changing standard lining materials may **compromise** related features.




RECOMMENDED UPPER COLOURS (FIA)

	100	White Textile	1.0		223	Black Embossed Chevreau	1.0-1.2		332	Brown Nappa	1.0-1.2
	102	White Nappa	1.0-1.2		224	Black Textile	1.4-1.6		333	Cognac Waxed Leather	1.8-2.0
	116	Off-white Chevreau Velour	0.8-1.0		226	Black Stretch Nubuck	0.6-0.8		336	Brown Nubuck	1.2-1.4
	121	White Nappa	1.4-1.6		227	Black Textile	N/A		337	Dark Brown Pig Velour	1.5-1.7
	122	Off-white Nappa	1.0-1.2		243	Black Nappa	1.2-1.4		341	Light Brown Chevreau	0.8-1.0
	133	White Embossed Chevreau	1.0-1.2		244	Black Textile	1.0		346	Dark Brown Stretch Nubuck	0.8-1.0
	141	Silver Metallic Nappa	1.0-1.2		246	Black Waxed Nubuck	1.6-1.8		348	Brown Split Velour	1.2-1.4
	144	Gold Metallic Nappa	1.4-1.6		251	Black Coated Split	1.6-1.8		354	Dark Brown Chevreau	0.8-1.0
	200	Brown Real Fur	1.5		257	Black Textile	1.0		381	Dark Brown Nappa	1.0-1.2
	201	Black Nappa	1.0-1.2		260	Black Coated Split	1.6-1.8		382	Dark Brown Nappa	1.0-1.2
	202	Black Nappa	1.0-1.2		273	Black Nappa	1.2-1.4		383	Dark Brown Waxed Leather	1.8-2.0
	203	Black Nappa	1.4-1.6		279	Black Textile	1.0		392	Dark Brown Waxed Nubuck	1.4-1.6
	205	Black Patent Leather	1.0-1.2		283	Black Waxed Leather	1.8-2.0		393	Camel Nappa	1.8-2.0
	206	Black Nubuck	1.2-1.4		288	Black Printed Chevreau	0.8-1.0		397	Camel Waxed Nubuck	1.4-1.6
	208	Black Split Velour	1.2-1.4		299	Grey Textile	1.0		407	Light Beige Pig Velour	1.5-1.7
	209	Black Croco	1.0-1.2		302	Brown Waxed Nubuck	1.4-1.6		442	Beige Nappa	1.0-1.2
	212	Black Waxed Nubuck	1.4-1.6		307	Camel Pig Velour	1.5-1.7		446	Beige Nubuck	1.2-1.4
	214	Black Nappa	2.0-2.2		314	Brown Nappa	2.0-2.2		466	Light Beige Stretch Nubuck	0.6-0.8
	218	Black Stretch Lycra and Neoprene	1.4		321	Brown Nappa	1.0-1.2		494	Bronze Metallic Nappa	1.4-1.6
	221	Black Nappa	1.4-1.6		323	Dark Brown Waxed Nappa	1.2-1.4		518	Beige Split Velour	1.2-1.4
	222	Black Artificial Leather	N/A		330	Brown Textile	N/A		541	Dune Nappa	1.2-1.4

	566	Yellow Nubuck	1.4-1.6		834	Dark Blue Nappa	1.4-1.6		926	Red Nubuck	1.4-1.6
	572	Light Brown Nubuck	1.4-1.6		836	Dark Blue Nubuck	1.4-1.6		927	Burgundy Pig Velour	1.5-1.7
	596	Mustard Nubuck	1.2-1.4		837	Blue Pig Velour	1.4-1.6		933	Red Embossed Chevreau	1.0-1.2
	632	Green Nappa	1.2-1.4		846	Dark Blue Stretch Nubuck	0.6-0.8		938	Red Split Velour	1.2-1.4
	654	Olive Waxed Nubuck	1.4-1.6		862	Blue Waxed Nubuck	1.4-1.6		941	Burgundy Nappa	1.0-1.2
	658	Olive Split Velour	1.2-1.4		865	Dark Blue Patent Chevreau	0.8-1.0		946	Burgundy Nubuck	1.6-1.8
	700	Grey Textile	1.0		870	Blue Textile	0.8		950	Orange Textile	1.0
	707	Light Grey Pig Velour	1.5-1.7		874	Blue Nappa	0.9-1.1		954	Red Textile	0.5-0.8
	717	Grey Pig Velour	1.5-1.7		877	Blue Textile	2.7		958	Red Split Velour	1.2-1.4
	722	Grey Chevreau	0.8-1.0		878	Blue Split Velour	1.2-1.4		962	Red Nappa	1.0-1.2
	737	Grey Pig Velour	1.5-1.7		886	Blue Nubuck	1.6-1.8		968	Lilac Split Velour	1.2-1.4
	738	Grey Split Velour	1.2-1.4		888	Dark Blue Printed Chevreau	0.8-1.0		972	Burgundy Waxed Nubuck	1.4-1.6
	754	Dark Grey Waxed Nubuck	1.4-1.6		892	Dark Blue Waxed Nubuck	1.4-1.6		980	Pink Printed Nubuck	1.4-1.6
	770	Grey Textile	0.8		898	Dark Blue Split Velour	1.2-1.4		981	Orange Chevreau	0.8-1.0
	786	Grey Nubuck	1.6-1.8		900	Pink Textile	1.0		987	Red Pig Velour	1.5-1.7
	800	Blue Textile	1.0		902	Fuxia Nappa	1.2-1.4				
	821	Blue Nappa	1.4-1.6		904	Lilac Textile	0.6-0.8				
	823	Blue Embossed Chevreau	1.0-1.2		911	Burgundy Chevreau	0.8-1.0				
	832	Dark Blue Nappa	1.0-1.2		916	Pink Nubuck	1.2-1.4				

How to read this chart



Find all **colour/material** options and detailed information at klaveness.no in the **Materials Guide** section.

OAS & OIL TIPS



TIP		AVAILABLE IN	DISPLAYED ON PAGE
CHANGE THE BACK SHAFT MATERIAL		 	63
REPLACE THE "STAY-IN" STRAPS WITH STANDARD VELCRO STRAPS		 	49, 55, 92
MODIFY FACING	Options: Change instep; Widen or narrow facing to adjust the gap between eyelets; Change opening	 	84
CUSTOMISE PADDING	Options: Vamp; Quarter; Tongue; Top edge	 	52
BELLOWS TONGUE EYELETS VS HOOKS	In OAS and OIL , changing the fastening is possible, but in styles with bellows tongue , we recommend hooks instead of eyelets.	 	57, 69, 84
PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS			44, 56, 62, 65, 71, 77
CHOOSE ANY STYLE ON ANY LAST			25, 27, 42, 53, 70, 78, 80

FITTING STOCK

Klaveness' Fitting Stock is a tool used to help you determine the most suitable last and size for your patient.

It consists of an assortment of standard footwear built on all **FIA** lasts and delivered in the complete size range; it includes ½ pair of Standard Soles and a set of bottom shape patterns (in all lasts and sizes).

5 PAIRS
PER ARTICLE

MINIMUM QUANTITY
when ordering
FITTING SHOES

	FITTING STOCK	FIA	FIA SOLE	PAGE
Hiker	ME PRV19	FM 9358	S571	33
Nemo TN2 (Narrow)	ME PRV26	FM 9376	S553	26
Nemo TN4 (Standard)	ME PRV20	FM 9369	S517	22
Nemo TN4 (Standard)	ME PRV25	FM 9376	S553	26
Nemo TN8 (Orthotic)	ME PRV24	FM 9376	S553	26
Pacer	ME PRV16	FM 9362	S547	—
Racer	ME PRV17	FM 9360	S572	—
Tracer	ME PRV23	FM 9323	S542	30
Free	ME PRV21	FM 1068	S847	65
Free Wide	ME PRV27	FM 1068	S847	—
Lisa Extra Narrow	ME PRV12	FM 0994	S402	—
Lisa Extra Std	ME PRV11	FM 0994	S402	43
Lisa Extra Wide	ME PRV13	FM 0994	S402	—
Ortho Narrow	ME PRV5	FM 0912	S170	—
Ortho Std	ME PRV04	FM 0912	S170	51
Ortho Std (Slim Heel, Reduced Instep, Softer Toe Cap)	ME PRV2N	FM 0912	S170	—
Ortho Wide	ME PRV06	FM 0912	S170	—
Jo	ME PRV15	FM 1392	S862	74
Thom	ME PRV22	FM 1428	S320	88
Thor Narrow	ME PR01N	FM 1309	S680	—
Thor Std	ME PRV1	FM 1309	S650	82
Thor Std (Slim Heel, Reduced Instep, Softer Toe Cap)	ME PRV3N	FM 1309	S650	—
Thor Wide	ME PRV1W	FM 1309	S680	—
Thor Wide (Softer Toe Cap)	ME PRV2W	FM 1309	S680	—
Footform	ME PRV9	FM 1391	S910	91
Nåbling	ME PRV14	FM 0870	S952	90
New Rehab	ME PRV10	FM 0700	S910	93
New Rehab	ME PRV18	FM 0702	S910	92

A set of bottom shape patterns is available for all Fitting Stock lasts and corresponding size ranges.



You can also download "Last Bottom Shapes" to print out yourself.

Find detailed information at klaveness.no, in the Downloads section.



FITTING STOCK

SIZE CHARTS

ADULTS

MONDOPOINT	EU	UK
215	34	1,5
220	35	2,0
225	36	3,0
230	36	3,5
235	37	4,0
240	38	4,5
245	39	5,0
250	39	5,5
255	40	6,5
260	41	7,0
265	42	7,5
270	42	8,0
275	43	8,5
280	44	9,5
285	45	10,0
290	45	10,5
295	46	11,0
300	47	11,5
305	48	12,0
310	48	13,0
315	49	13,5
320	50	14,0
325	51	14,5
330	51	15,0
335	52	16,0
340	53	16,5

CHILDREN

MONDOPOINT	EU	UK
125	20	4
130	21	4,5
135	21,5	5
135	22	5,5
140	23	6
145	23,5	6,5
150	24	7
155	25	7,5
160	26	8
165	26,5	8,5
165	27	9
170	27,5	9,5
175	28	10
175	28,5	10,5
180	29	11
180	29,5	11,5
185	30	12
190	31	12,5
200	32	13
205	33	1
215	34	1,5
220	35	2,0
225	36	3,0
230	36	3,5
235	37	4,0
240	38	4,5
245	39	5,0
250	39	5,5
255	40	6,5
260	41	7,0
265	42	7,5
270	42	8,0
275	43	8,5
280	44	9,5

FIA DISCONTINUED STYLES

YOU CAN STILL ORDER THEM AS **FIA**
DURING 2026



FM 0938

ORTHO



FM 9384

HIKER



FM 0982

ORTHO



FM 1038

ORTHO



FM 15268

LISA EXTRA



FM 19140

ORTHO



FM 0975

LISA EXTRA



FM 16142-1

ORTHO



FM 0946

ORTHO



FM 6149

ORTHO



FM 16142

ORTHO



FM 10130

ORTHO



FM 0567

ORTHO



FM 1312

THOM

DO YOU MISS OLDER STYLES?

YOU CAN ORDER THEM AS **OAS** AND **OIL**



FM 9375

NEMO



FM 1026



FM 1425

THOM

KLAVENESS GROUP IS A CERTIFIED SUSTAINABLE COMPANY

IN NORWAY, **KLAVENESS FOOTWEAR AS** RUNS A QUALITY MANAGEMENT SYSTEM AND IS CERTIFIED UNDER THE **ISO 9001** QUALITY MANAGEMENT SYSTEM.



IN PORTUGAL, **KLAVENESS FOOTWEAR SA** IS CERTIFIED UNDER THE **ISO 14001** ENVIRONMENTAL MANAGEMENT SYSTEMS AND THE **ISO 9001** QUALITY MANAGEMENT SYSTEMS.



Please refer to our website for further information on Sales & Delivery Conditions.

Vennligst se vår hjemmeside for mer informasjon om salg og leveringsbetingelser.

Besök vår hemsida för mer information om leverans och försäljningsvillkor.

Kotisivuiltamme löydät lisätietoja Myynti- & Toimitusehdoista.

Klaveness Footwear makes every effort to maintain the accuracy and quality of the information provided in this catalogue. However, Klaveness Footwear cannot guarantee and assumes no legal liability or commercial responsibility for the accuracy or completeness of the information provided. The information contained in this catalogue is for general guidance only. Product colours, materials, design and features may vary or even be changed due to product development or production circumstances. The materials used in the displayed styles in this catalogue are subject to stock availability at the time of ordering. Klaveness Footwear cannot be held liable for typographical and/or layout errors or any misinformation contained herein.

Klaveness Footwear gjør sitt ytterste for å opprettholde nøyaktighet og kvalitet på informasjonen i denne katalogen. Imidlertid kan Klaveness Footwear ikke garantere at informasjonen er fullstendig og påtar seg ikke juridisk eller kommersielt ansvar for nøyaktigheten. Informasjonen i denne katalogen er kun for generell veiledning. Produktfarger, materialer, design og funksjoner kan variere eller endres på grunn av produktutvikling og/eller produksjonsmessige omstendigheter. Materialet på modellene i denne katalogen er avhengig av levering og lagerstatus hos materialleverandør. Klaveness Footwear kan ikke holdes ansvarlig for typografiske og/eller layout feil eller annen feilinformasjon i dette dokumentet.

Klaveness Footwear gör sitt yttersta för att upprätthålla noggrannhet och kvalitet på informationen i den här katalogen. Klaveness Footwear kan dock inte garantera att informationen är fullständig och tar inget rättsligt och kommersiellt ansvar för dess riktighet. Informationen i denna katalog är endast allmän vägledning. Produktfärger, material, design och funktioner kan variera eller ändras på grund av produktutveckling och/eller produktionsrelaterade omständigheter. Materialen på modellerna i denna katalog är beroenda av leverans och lagerstatus hos materialleverantör. Klaveness Footwear kan inte hållas ansvarig för typografiska och / eller layout fel eller andra felaktigheter i detta dokument.

Klaveness Footwear tekee kaikkensa kuvastossa olevien tietojen oikeellisuuden varmistamiseksi. Kuitenkaan Klaveness Footwear ei voi taata, tai ottaa oikeudellista, tai kaupallista vastuuta kuvaston tietojen mahdollisista puutteista. Tämän kuvaston sisältämä tieto on tarkoitettu ainoastaan yleisohjeeksi. Tuotteiden värit, materiaalit, suunnittelu ja ominaisuudet voivat vaihtua tai ne voidaan tarkoituksellisesti muuttaa johtuen tuotekehityksestä tai tuotanto-olosuhteista. Tässä katalogissa esitellyissä malleissa käytettyjen valmistusmateriaalien saatavuus riippuu tilaushetken varastotilanteesta. Klaveness Footwearia ei voida pitää oikeudellisesti vastuullisena kirjoitusvirheistä, asetteluvirheistä tai kuvastossa olevasta väärästä tiedosta.



FOLLOW US



All Klaveness catalogues are available digitally.
Scan the QR codes to access.

MSS CATALOGUE



IF CATALOGUE



Klaveness Footwear AS
Lingelemveien 65J, 3225 Sandefjord | Norway
klaveness.no

CONTACT US
Norway +47 33 48 97 00 | post@klaveness.no
Sweden +46 52 66 07 88 | info@klaveness.se
Finland +358 40 484 0088 | asiakaspalvelu@klaveness.fi